



Get amongst it with

SEA JAY

ALUMINIUM BOATS

INTRODUCING WHO WE ARE

Sea Jay Aluminium Boats is a family company owned by Col and Janelle Glass, established in Bundaberg in 1989.

Boating has played a major part in the family life over many years, having been involved in boating from a young age as recreational fishermen, water skiers and boat racing, hence the involvement in the boating industry.

With premises covering 7,000m² and with 2,280m² under cover this provides easy movement for product and supplies.



OPEN BOAT

ANGLER p6-7
MAGNUM p8-11
SP p12
TERRITORY p13
ESCAPE / SPORTS p14-15
ESCAPE CX/ SPORTS CX p16-17
CASTAWAY p18

SQUARE NOSE

PUNT p19

V-NOSE

BARRA PUNT p20
NOMAD SWIFT p21
NOMAD p22-23
NOMAD DISCOVERY p24
NOMAD SPORTS p25

CONSOLE

TROPIC p26
HAVEN SPORTS p27
HAVEN p28-31

RUNABOUT

SEEKER p33
CLASSIC p34-35
CAPRI p36-37

BOWRIDER

WANDERER p38-39

CABIN

VENTURE CAB p40-41

ACCESSORIES & OPTIONS

p42-44

COLOURS & DIMENSIONS

p45

TRAILERS

p46

WARRANTY & GENERAL MAINTENANCE


p47

OUR COMMITMENT

Sea Jay bring their product to you with their personal pride and trust you will enjoy many memorable moments on some of the best waterways this country offers.

What a better way to relax by "GETTING AMONGST IT" in a quality **Sea Jay Aluminium Boat** you can rely on and trust.

WHY SEA JAY



WE TEST HARD SO YOU PLAY SAFE!

THE SEA JAY ADVANTAGE

- **Wide side decks are fully welded**
- **Plywood sealed prior to fitting carpet**
- **Unpainted boat floors sprayed with a clear metal sealer**
- **Individually hand fitted flooring**
- **3mm and 4mm material bottoms are stitched welded internally on the keel and chine for extra strength**
- **Skilled employees to design develop and manufacture our product.**

If you have been involved in boating for many years you will be familiar with the aspects of boating, however if this is your first boat we would like to assist you with some boating key points. Your authorised Sea Jay Dealer will be able to suggest the model you require by considering the following aspects.

The model you require will depend on your type of boating activity and the conditions of the waterways you use. Models can vary in performance so you would need to consider the waterways you will use most frequently. From our lakes and rivers to offshore the various boat models available enable you to make this decision.

Your engine requirements will also play an important part in your boat model choice. You will need to consider the size and type of engine that fit your requirements. The boat model specifications show the recommended and maximum hp and motor weight applicable. The boat hull performance can be spoilt by an incorrectly fitted or trimmed engine. Therefore if you are new to boating and had little experience with outboard engines, your dealer will guide you with the correct engine transom position and explain about motor trimming if your engine has this option.

The loading of your boat hull is important when wanting the best ride. If you intend to carry a big load, the model size and engine hp need to be a factor, together with the position the load is carried in the boat. If these factors are considered your boat will move "on to the plane" with ease.

An incorrect trailer set up can damage your craft, so it is important when deciding on a trailer, to consider the distance you will be travelling, the launching variations and the type of road surface you will use. As with your boat, trailer options can vary so there is a trailer model to suit your needs.

Learn all there is to know about boating safety through your Transport Department Safety Hand Book and play safe on our waterways.


SEA JAY QUALITY & WORKMANSHIP

- **Quality and pride in workmanship is an important aspect of the manufacturing process.**
- **Sea Jay ensures employees build their product with the pride of workmanship they would expect in a boat of their own. This motto is carried through the entire manufacturing process.**
- **Sea Jay employees receive on the job training by qualified personal.**
- **A quality checking system is in place to check material and product at each stage throughout the manufacturing process. All attempts are made to provide a quality product to enter the market place.**



ABOUT THE SEA JAY RANGE


- High Sides and Wide Beam
- Maximum Performance
- Stability
- Various options
- Quality fittings
- Specialty models for all entry levels
- Over 70 models from 2.45m to 6.1m, with models available for all boating enthusiasts.
- Models available for the commercial sector




SEA JAY REVERSE CHINE HULL DESIGNS

- Stability at rest
- Deeper V for a softer ride
- Pushes easier with minimum power
- Better lift giving good fuel efficiency

Overall performance will be gained by choosing an ULTIMATE EDGE and SURE TRAC hull, as the reverse chine will give stability at rest and when underway the deeper V will provide a smooth ride. When the boat rides on the deeper V and with the lift given by the reverse chine this will give good fuel efficiency with minimum power.



The Sure Trac is an open transom suited to tiller steer engines and is available where you see this  symbol.



The Ultimate Edge is a closed in transom with a boarding platform and is available where you see this  symbol.

The Reverse Chine method was first used in a Sea Jay hull in the early 1990's with the design now prominent in more Sea Jay models.

RESEARCH & DEVELOPMENT

- Ongoing model development
- Model development focuses on maximum performance with minimum fuel energy
- Through on going hull development, whether a 2 or 4 stroke engine our design will enhance the performance of your outboard.

NEW DESIGNS

- A newly designed pressed 4mm strake will give better lift, less resistance through the water with minimum horsepower required. This is available on the 5.4m and 5.8m Ultimate Edge models.
- Sure Trac and Ultimate Edge hulls feature Reverse Chine which provides better stability and maximum performance.
- SLAB Sides with two presses (one near the gunwhale and one near the chine) is available as an option on most models from 4.15 to 6.1m.

**ULTIMATE
EDGE**

SURE TRAC

OPEN BOAT ANGLER

The Sea Jay "Angler" is the smaller end of the open boat range and available in five models from 2.45m to 3.95m. With the smallest in this range suited as a tender and the other models having varied uses from car toppers to the creeks and estuaries.



2.45m



3.55m



3.15m

SPECIFICATION	2.45	3.15	3.55	3.75	3.95
bottoms (mm)	1.6	1.6	1.6	1.6	2.0
sides (mm)	1.6	1.6	1.6	1.6	1.6
beam (m)	1.41	1.52	1.55	1.62	1.74
depth (m)	0.65	0.65	0.81	0.88	0.91
floor ribs	3	5	6	6	8
no. of persons	2	3	3	4	4
weight approx (kg)	45	62	76	86	115
rec hp	3	8	10	15	25
max hp	4	10	15	20	30
max motor weight (kg)	17	42	47	55	75

OPEN BOAT ANGLER




3.95m

FEATURES	2.45	3.15	3.55	3.75	3.95
bungs - 38mm x 2	•	•	•	•	•
gunwhale rubber insert	—	—	—	—	•
handles - front	•	•	•	•	•
handles - rear	—	•	•	•	•
rear corner gussets	•	•	•	•	•
rope shelf	—	•	•	•	•
rowlocks	•	•	•	•	•
spray chines	—	—	—	•	•
towing eye - double	•	•	•	•	•
TRANSOM					
standard (s/s)	•	•	•	•	—
standard (l/s)	—	•	•	•	•
SEATS					
riveted thwart - coolite fitted	•	—	—	—	—
welded thwart - coolite fitted	—	•	•	•	•



3.75m





OPEN BOAT MAGNUM

The "Magnum" as the name suggests, offers you a roomy and tough dinghy, with high side and wide beams being features of this model. This range features varied floor layouts as standard and with wide side decks fitted standard to 4.85m and over. A reverse chine hull known as the Sure Trac is available in 4.55 and 4.85 models. This design gives enhanced hull performance.



SPECIFICATION	4.15	4.35	4.55
bottoms (mm)	2.0	2.0	3.0
sides (mm)	1.6	1.6	2.0
beam (m)	1.95	1.97	2.05
depth (m)	1.00	1.00	1.08
floor ribs	9	10	11
no. of persons	4	4	5
weight approx (kg)	149	164	224
rec hp	30	30	40
max hp	40	40	50
max motor weight (kg)	95	110	115




4.15m




4.55m

OPEN BOAT MAGNUM



4.35m

FEATURES	4.15	4.35	4.55
bollard - front	—	—	•
bungs - 38mm x 2	•	•	•
clear metal sealer - under floor	—	—	•
floor (¾) - carpeted plywood	•	•	—
floor (part) - carpeted plywood	—	—	•
gunwhale rubber insert	•	•	•
handles - front & rear	•	•	•
rear corner gussets	•	•	•
rope cleat	•	•	—
rope shelf	•	•	•
rowlocks	•	•	•
spray chines	•	•	•
tank rack	•	•	—
tank rack - carpeted	—	—	•
towing eye - double	•	•	•
TRANSOM			
standard (l/s)	•	•	•
SEATS			
welded thwart - coolite fitted	•	•	•



4.55m



OPEN BOAT MAGNUM



4.85



SPECIFICATION	4.85	5.35	6.0
bottoms (mm)	3.0	3.0	4.0
sides (mm)	2.0	2.0	2.0
beam (m)	2.14	2.20	2.30
depth (m)	1.09	1.10	1.18
floor ribs	13	14	16
no. of persons	5	6	6
weight approx (kg)	274	320	403
rec hp	50	50	60
max hp	60	60	75
max motor weight (kg)	120	120	175



OPEN BOAT MAGNUM




6.0m

FEATURES	4.85	5.35	6.0
bollard - front	•	•	•
bungs - 38mm x 2	•	•	•
clear metal sealer - under floor	•	•	•
floor - carpeted plywood	•	•	•
flotation - under floor	•	•	•
gunwhale rubber insert	•	•	•
handles - front & rear	•	•	•
rear corner gussets	•	•	•
rope shelf	•	•	•
spray chines	•	•	•
towing eye - double	•	•	•
wide side decks	•	•	•
TRANSOM			
standard (l/s)	•	•	•
SEATS			
welded thwart - coolite fitted	•	•	•



5.35m



OPEN BOAT SP

The SP an open Magnum hull with additional features such as wide side decks, full floor and pedestal seating make this model a value added tinnie. The Sp is available in three model lengths, with the 4.55 featuring the Sure Trac reverse chine hull that gives you added stability.



4.15m



SPECIFICATION	4.15	4.35	4.55
bottoms (mm)	2.0	2.0	3.0
sides (mm)	1.6	1.6	2.0
beam (m)	1.95	1.97	2.05
depth (m)	1.00	1.00	1.08
floor ribs	9	10	11
no. of persons	4	4	5
weight approx (kg)	190	240	261
rec hp	30	30	40
max hp	40	40	50
max motor weight (kg)	95	110	115


FEATURES	4.15	4.35	4.55
bollard - front	—	—	•
bungs - 38mm x 2	•	•	•
clear metal sealer - under floor	•	•	•
electric motor mount	•	•	•
floor - carpeted plywood	•	•	•
flotation - under floor	•	•	•
gunwhale rubber insert	•	•	•
handles - rear	•	•	•
rope cleat	•	•	—
rope shelf	•	•	•
spray chines	•	•	•
switch panel plate	•	•	•
towing eye - double	•	•	•
wide side decks	•	•	•
TRANSOM			
standard (l/s)	•	•	•
RAILS			
bow - short / nav light plates	•	•	•
SEATS			
standard plastic swivel	2	2	2
seat sockets	5	5	5



4.35

OPEN BOAT TERRITORY

FEATURES	4.15	4.35	4.55	4.85
anchor cavity	•	•	•	•
battery & tank rack - under cast platform	•	•	•	•
bungs - 38mm x 2	•	•	•	•
cast platform - front to bow / hatches x 2	•	•	•	•
clear metal sealer - under floor	•	•	•	•
floor - carpeted plywood	•	•	•	•
flotation - under floor	•	•	•	•
fuel line - under floor - tank rack to transom	•	•	•	•
gunwhale rubber insert	•	•	•	•
handles - rear	•	•	•	•
minnkota plate - on bow	•	•	•	•
side pockets - long	•	•	•	•
sounder mount	•	•	•	•
spray chines	•	•	•	•
switch panel plate	•	•	•	•
towing eye - double	•	•	•	•
transducer bracket	•	•	•	•
wide side decks	•	•	•	•
TRANSOM				
standard (l/s)	•	•	•	•
RAILS				
bow - low profile / nav light plates	•	•	•	•
rear	•	•	•	•
SEATS				
standard plastic swivel	2	2	2	2
seat sockets	7	6	6	6



4.85m

If quietly flicking lures in and around snags or going crabbing is more your kind of fun, then the Territory is for you. The Territory features a full front cast platform with two hatches and a tank rack to neatly stow away your fuel tank. A minnkota plate and battery rack are also standard, ready for when you want to take your fishing to the next level.



4.35m



SPECIFICATION	4.15	4.35	4.55	4.85
bottoms (mm)	2.0	2.0	3.0	3.0
sides (mm)	1.6	1.6	2.0	2.0
beam (m)	1.95	1.97	2.05	2.14
depth (m)	1.00	1.00	1.08	1.09
floor ribs	9	10	11	13
no. of persons	4	4	5	5
weight approx (kg)	210	225	282	320
rec hp	30	30	40	50
max hp	40	40	50	60
max motor weight (kg)	95	110	115	115

OPEN BOAT ESCAPE / SPORTS


The Escape and Escape Sports are an all round pleasure craft for our estuaries. The Escape is fitted with a wide range of options to tempt any boating enthusiast. With the Escape Sports including a Side Console which further enhances this model. The Escape models are available in three models lengths, with the 4.55 featuring the Sure Trac reverse chine hull that gives stability, soft riding and efficiency.



SPECIFICATION	4.15	4.35	4.55
bottoms (mm)	2.0	2.0	3.0
sides (mm)	1.6	1.6	2.0
beam (m)	1.95	1.97	2.05
depth (m)	1.00	1.00	1.08
floor ribs	9	10	11
no. of persons	4	4	5
weight approx (kg)	240	270	319
rec hp	30	40	40
max hp	40	40	50
max motor weight (kg)	95	110	115

SPECIFICATION - SPORTS	4.15	4.35	4.55
weight approx (kg)	—	294	341
rec hp	—	40	50
max hp	—	50	60
max motor weight (kg)	—	115	120

OPEN BOAT ESCAPE / SPORTS



4.55m



Escape Sports

FEATURES	4.15	4.35	4.55
anchorwell with divider	•	•	•
bollard - front	•	•	•
bungs - 38mm x 2	•	•	•
cast platform - front / carpeted / hatch	•	•	•
cast platform - rear / carpeted / hatch	•	•	•
electric motor mount	•	•	•
floor - carpeted plywood	•	•	•
flotation - under floor	•	•	•
gunwhale rubber insert	•	•	•
handles - rear	•	•	•
live bait tank - plastic / plumbed	•	•	•
paint - chine up & inside (coloured sides opt)	•	•	•
pinstriping	•	•	•
rod holders x 4	•	•	•
side pockets	•	•	•
sounder mount	•	•	•
splash well - small	•	•	•
spray chines	•	•	•
switch panel plate	•	•	•
tank rack (½)	•	•	•
towing eye - double	•	•	•
transducer bracket	•	•	•
wide side decks	•	•	•
TRANSOM			
standard (l/s)	•	•	•
FUEL TANK			
under floor / floor fill	—	60	60
RAILS			
bow - escape / nav light plates	•	•	•
rear	•	•	•
SEATS			
part upholstered pedestal	2	2	2
seat sockets	5	5	5
ESCAPE SPORTS - ADDITIONAL FEATURES			
console (side) screen / shelf	—	•	•
console (side) fibreglass dash	—	opt	opt
steering - push pull	—	•	•
FUEL TANK			
under floor / deck fill / gauge	—	60	60
SEATS			
part upholstered pedestal	—	2	2
part upholstered folding pedestal	—	opt	opt


OPEN BOAT ESCAPE CX / SPORTS CX

The Escape CX and Escape Sports CX models, features a full front cast platform which make this model a little different from the Escape model. The sports model features a side console and both are fitted with a vast range of standard options. This model is suitable for all style of anglers who like to explore the estuaries for that special spot.



SPECIFICATION	4.15	4.35	4.55
bottoms (mm)	2.0	2.0	3.0
sides (mm)	1.6	1.6	2.0
beam (m)	1.95	1.97	2.05
depth (m)	1.00	1.00	1.08
floor ribs	9	10	11
no. of persons	4	4	5
weight approx (kg)	251	281	325
rec hp	30	40	40
max hp	40	40	50
max motor weight (kg)	95	110	115

SPECIFICATION - SPORTS CX	4.15	4.35	4.55
weight approx (kg)	—	297	347
rec hp	—	40	50
max hp	—	50	60
max motor weight (kg)	—	115	120



OPEN BOAT ESCAPE CX / SPORTS CX



4.35m Sports Cx



4.55m Sports Cx

FEATURES	4.15	4.35	4.55
anchor cavity	•	•	•
battery rack under cast deck	•	•	•
bungs - 38mm x 2	•	•	•
cast platform - front / carpeted / hatch	•	•	•
cast platform - rear / carpeted / hatch	•	•	•
dry storage box	•	•	•
floor - carpeted plywood	•	•	•
flotation - under floor	•	•	•
gunwhale rubber insert	•	•	•
handles - rear	•	•	•
live bait tank - plumbed	•	•	•
minnkota plate - on bow	•	•	•
paint - chine up & inside (coloured sides opt)	•	•	•
pinstriping	•	•	•
rod holders x 4	•	•	•
side pockets	•	•	•
sounder mount	•	•	•
splash well - small	•	•	•
spray chines	•	•	•
switch panel plate	•	•	•
tank rack (½) - under rear cast deck	•	•	•
towing eye - double	•	•	•
transducer bracket	•	•	•
wide side decks	•	•	•
TRANSOM			
standard (l/s)	•	•	•
FUEL TANK			
under floor / floor fill	—	60	60
RAILS			
bow - short / nav light plates	•	•	•
rear	•	•	•
SEATS			
part upholstered pedestal	2	2	2
seat sockets	4	5	5
ESCAPE SPORTS CX - ADDITIONAL FEATURES			
console (side) screen / shelf	—	•	•
console (side) fibreglass dash	—	opt	opt
steering - push pull	—	•	•
FUEL TANK			
under floor / deck fill / gauge	—	60	60
SEATS			
part upholstered pedestal	—	2	2
part upholstered folding pedestal	—	opt	opt

OPEN BOAT CASTAWAY

Our Castaway model features a "Set Down Foredeck, suitable for sorting your catch. This model also has well appointed key features to tempt the angler. The Castaway is available in three models with the 4.55 featuring the Sure Trac reverse chine hull that gives enhanced performance and efficiency.




4.15m



SPECIFICATION	4.15	4.35	4.55
bottoms (mm)	2.0	2.0	3.0
sides (mm)	1.6	1.6	2.0
beam (m)	1.95	1.97	2.05
depth (m)	1.00	1.00	1.08
floor ribs	9	10	11
no. of persons	4	4	5
weight approx (kg)	225	240	291
rec hp	30	30	40
max hp	40	40	50
max motor weight (kg)	95	110	115

FEATURES	4.15	4.35	4.55
bungs - 38mm x 2	•	•	•
cast platform - front / hatches x 2	•	•	•
electric motor mount	•	•	•
floor - carpeted plywood	•	•	•
flotation - under floor	•	•	•
gunwhale rubber insert	•	•	•
handles - rear	•	•	•
live bait tank - no pump	•	•	•
paint - chine up & inside (coloured sides opt)	•	•	•
pinstriping	•	•	•
rope shelf	•	•	•
set down foredeck	•	•	•
side pocket - starboard side	•	•	•
sounder mount	•	•	•
spray chines	•	•	•
switch panel plate	•	•	•
towing eye - double	•	•	•
transducer bracket	•	•	•
wide side decks	•	•	•
TRANSOM			
standard (l/s)	•	•	•
RAILS			
bow - short / nav light plates	•	•	•
rear	•	•	•
SEATS			
part upholstered pedestal	2	2	2
seat sockets	8	7	7



4.35m

SQUARE NOSE PUNT

FEATURES	3.0	3.4	3.7
bungs - 38mm x 2	•	•	•
cast platform - front / carpeted / hatch	opt	opt	opt
cast platform (part) - forward of front seat	opt	opt	opt
handles - front x 1 / rear x 2	•	•	•
rowlocks	•	•	•
towing eye - double	•	•	•
TRANSOM			
standard (s/s)	•	•	•
RAILS			
front & rear	•	•	•
SEATS			
welded thwart - coolite fitted	•	•	•



The Square Nose Punt an old favorite with fisherman as it offers the original stable platform and minimal draft making is suitable in shallow water. This model which is available in three hull lengths is well suited to the smooth waters of our estuaries and creeks where you can to set a pot or two.



SPECIFICATION	3.0	3.4	3.7
bottoms (mm)	1.6	1.6	1.6
sides (mm)	1.6	1.6	1.6
beam (m)	1.42	1.42	1.42
depth (m)	0.52	0.52	0.52
floor ribs	6	6	7
no. of persons	3	3	3
weight approx (kg)	60	65	73
rec hp	6	6	10
max hp	8	8	10
max motor weight (kg)	42	42	42

V-NOSE BARRA PUNT

The V- Nose Barra Punt is a must for the estuaries and creeks and an ideal car topper. This style hull cuts thru the water nicely and provides a stable platform for those varied angler needs, whether it be casting a line, setting a pot or casting for bait. This hull is available in two model lengths.



SPECIFICATION	3.15	3.55
bottoms (mm)	1.6	1.6
sides (mm)	1.6	1.6
beam (m)	1.44	1.44
depth (m)	0.58	0.58
floor ribs	4	5
no. of persons	2	3
weight approx (kg)	64	69
rec hp	6	10
max hp	8	15
max motor weight (kg)	42	47

FEATURES	3.15	3.55
bungs - 38mm x 2	•	•
cast platform - front / carpeted / hatch	opt	opt
cast platform (part) - forward of front seat	opt	opt
handles - front x 1 / rear x 2	•	•
rear corner gussets	•	•
rowlocks	•	•
towing eye - double	•	•
TRANSOM		
standard (s/s)	•	•
RAILS		
barra punt - front & rear	opt	opt
SEATS		
welded thwart - coolite fitted	•	•



V-NOSE NOMAD SWIFT

FEATURES	3.95	4.35
anchor cavity	•	•
bungs - 38mm x 2	•	•
cast platform - front to bow / hatches x 2	•	•
clear metal sealer - under floor	•	•
floor (part) - carpeted plywood	•	•
flotation - under floor	•	•
gunwhale rubber insert	—	•
handles - rear	•	•
spray chines	•	•
switch panel plate	•	•
tank rack - carpeted	•	•
towing eye - double	•	•
transducer bracket	•	•
wide side decks	•	•
TRANSOM		
standard (s/s)	•	—
standard (l/s)	•	•
RAILS		
bow - short / nav light plates	•	•
rear	•	•
SEATS		
rear thwart	•	•
standard plastic swivel	1	1
seat sockets	3	3





The Nomad Swift is yet another model option to the Nomad range, taking our standard Nomad with a few added features to give you a little bit more in boating versatility. As an option to this model you could replace the thwart seat with continued flooring and a pedestal seat for just a small price.



SPECIFICATION	3.95	4.35
bottoms (mm)	1.6	2.0
sides (mm)	1.6	1.6
beam (m)	1.79	1.90
depth (m)	0.88	0.99
floor ribs	8	10
no. of persons	4	4
weight approx (kg)	180	230
rec hp	25	30
max hp	30	40
max motor weight (kg)	80	110

V-NOSE NOMAD

Traverse the waterways and estuaries and have an adventure this weekend in a Sea Jay Nomad. In choosing a "Nomad" you have the benefits of a stable platform at rest with a smooth and dry ride while motoring. Available in five hull sizes with our smaller sizes welled suited to car topping.



* Rails Optional 3.2 / 3.5m


SPECIFICATION	3.2	3.5	3.7	3.95	4.35
bottoms (mm)	1.6	1.6	1.6	1.6	2.0
sides (mm)	1.6	1.6	1.6	1.6	1.6
beam (m)	1.43	1.48	1.65	1.79	1.90
depth (m)	0.61	0.68	0.73	0.88	0.99
floor ribs	4	5	7	8	10
no. of persons	2	3	3	4	4
weight approx (kg)	59	68	85	104	145
rec hp	6	10	15	25	30
max hp	8	15	20	30	40
max motor weight (kg)	42	47	55	80	110

V-NOSE NOMAD



4.35m

FEATURES	3.2	3.5	3.7	3.95	4.35
bungs - 38mm x 2	•	•	•	•	•
cast platform - front / carpeted / hatch	opt	opt	opt	opt	opt
cast platform (part) - forward of front seat	opt	opt	opt	opt	opt
gunwhale rubber insert	—	—	—	—	•
handles - front	•	•	—	—	—
handles - rear	•	•	•	•	•
rear corner gussets	•	•	•	•	•
rope shelf	—	•	•	•	•
rowlocks	•	•	•	•	•
spray chines	•	•	•	•	•
towing eye - double	•	•	•	•	•
TRANSOM					
standard (s/s)	•	•	•	•	—
standard (l/s)	—	•	•	•	•
RAILS					
bow - short	opt	opt	•	•	•
SEATS					
welded thwart - coolite fitted	•	•	•	•	•




3.95m




V-NOSE NOMAD DISCOVERY

The Nomad Discovery offers an open cast deck together with other well appointed features that would make any angler enjoy their time on the water.



SPECIFICATION	3.95	4.35
bottoms (mm)	1.6	2.0
sides (mm)	1.6	1.6
beam (m)	1.79	1.90
depth (m)	0.88	0.99
floor ribs	8	10
no. of persons	4	4
weight approx (kg)	201	242
rec hp	25	30
max hp	30	40
max motor weight (kg)	80	110



FEATURES	3.95	4.35
anchor cavity	•	•
battery rack - under front hatch	•	•
bungs - 38mm x 2	•	•
cast platform - front / carpeted / hatches x 2	•	•
cast platform - rear / carpeted	•	•
electric motor mount - on bow	•	•
floor - carpeted plywood	•	•
flotation - under floor	•	•
fuel line - front storage rack to transom	•	•
gunwhale rubber insert	•	•
handles - rear	•	•
live bait tank - plastic / plumbed	•	•
minnkota plate - on bow	•	•
paint - chine up & inside (coloured sides opt)	•	•
pinstriping	•	•
rod holders x 2	•	•
spray chines	•	•
storage rack - under front cast platform	•	•
switch panel plate	•	•
tank rack (1/2) - under rear bulkhead	•	•
towing eye - double	•	•
transducer bracket	•	•
wide side decks	•	•
TRANSOM		
standard (l/s)	•	•
RAILS		
bow - short / nav light plates	•	•
SEATS		
part upholstered pedestal	2	2
seat sockets	4	4

V-NOSE NOMAD SPORTS

FEATURES	4.35	5.0
anchor cavity	•	—
anchorwell - carpeted lid	—	•
anchor tray - under front deck / carpeted lid	—	•
battery rack - under front hatch	•	—
bungs - 38mm x 2	•	•
cast platform - front / carpeted / hatch	•	—
cast platform - front / carpeted / hatches x 2	—	•
cast platform - rear / hatches x 2	•	•
console (side) - screen / shelf	•	•
electric motor mount - on bow	•	•
floor - carpeted plywood	•	•
flotation - under floor	•	•
fuel line - from front storage rack to transom	•	—
gunwhale rubber insert	•	•
handles - rear	•	—
live bait tank - front / plumbed / 70ltr	—	•
live bait tank - rear / plumbed / 35ltr	—	•
live bait tank - plastic / plumbed	•	—
paint - chine up & inside (coloured sides opt)	•	•
pinstriping	•	•
rod holders	2	6
rod locker - cast deck height	—	•
spray chines	•	•
steering - push pull	•	•
tank rack (½) - under rear cast platform	•	—
tank rack - under front cast platform / suit 70ltr Esky	—	•
tank rack - under rear cast platform	—	•
towing eye - double	•	•
transducer bracket	•	•
wide side decks - to bow	•	•
TRANSOM		
standard (l/s)	•	—
ultimate edge standard (l/s) NOT REVERSE CHINE	—	•
FUEL TANK		
under floor / deck fill / gauge	—	100
RAILS		
bow - short / nav light plates	•	—
console screen	•	•
rear transom	—	•
SEATS		
part upholstered folding pedestal	2	2
seat sockets	4	4



4.35m



5.0m

SPECIFICATION	4.35	5.0
bottoms (mm)	2.0	3.0
sides (mm)	1.6	2.0
beam (m)	1.90	2.35
depth (m)	0.99	1.05
depth - incl. console rail (m)	1.29	1.86
floor ribs	10	12
no. of persons	4	5
weight approx (kg)	285	480
rec hp	40	75
max hp	50	90
max motor weight (kg)	115	194
overall length (m)	4.35	5.0



5.0m

The Nomad Sports is designed for the keen "Sports Fisherman" with the numerous fittings that are featured as standard, makes this model the "King" of the Nomad range. With the longer carpeted front cast deck and rear cast deck you are able to move around the hull freely. The 5.0m Nomad Sports also features a side cover rod locker. This hull is a proven performer and should please the competitive angler.

CONSOLE TROPIC

The Tropic may be standard as a centre or side console, whichever meets your preference. The console is fitted to the rear to give room for those heavy eskys or your camping gear. Other features of this model are very practical for the angler. This model features a reverse chine and is standard as unpainted however may be painted as an option.




FEATURES	4.55	4.85	5.35
anchor cavity	•	•	•
battery rack - under cast deck	•	•	•
bungs - 38mm x 2	•	•	•
cast platform - front / hatches x 2	•	•	•
clear metal sealer - under floor	•	•	•
console (centre or side) - screen / shelf	•	•	•
dry storage in cast deck	•	•	•
floor - carpeted plywood	•	•	•
flotation - under floor	•	•	•
gunwhale rubber insert	•	•	•
handles - rear	•	•	•
minnkota plate - on bow	•	•	•
pinstriping	•	•	•
rod holders x 6	•	•	•
side pockets - long	•	•	•
spray chines	•	•	•
steering - push pull	•	•	•
towing eye - double	•	•	•
transducer bracket	•	•	•
wide side decks to bow	•	•	•

TRANSOM			
motorwell (l/s)	•	•	•
FUEL TANK			
under floor / deck fill / gauge	60	60	75
RAILS			
bow - nav light plates	•	•	•
SEATS			
part upholstered pedestal	2	2	2
seat sockets	6	6	6




SPECIFICATION	4.55	4.85	5.35
bottoms (mm)	3.0	3.0	3.0
sides (mm)	2.0	2.0	2.0
beam (m)	2.05	2.14	2.20
depth (m)	1.08	1.09	1.10
depth - incl. console rail (m)	1.44	1.45	1.60
floor ribs	11	13	14
no. of persons	5	5	6
weight approx (kg)	347	369	424
rec hp	60	60	80
max hp	60	60	80
max motor weight (kg)	120	120	180



CONSOLE HAVEN SPORTS

FEATURES	4.55	4.85	5.0	5.4
accessory pre rig	opt	opt	opt	opt
anchorwell	•	•	•	•
bait board	opt	opt	opt	opt
bait tank	opt	opt	opt	opt
battery & oil rack - in stern	•	•	•	•
bollards x 3	•	•	•	•
bow sprit & roller	•	•	•	•
bungs - 38mm x 2	•	•	•	•
cast platform - hatch	•	•	•	•
console (side) - screen / shelf	•	•	•	•
console (side) - fibreglass dash	opt	opt	opt	opt
dive door	—	—	—	•
drink holders x 2	•	•	•	•
floor - carpeted plywood	•	•	•	•
flotation - under floor	•	•	•	•
gunwhale rubber insert	•	•	•	•
ladder	opt	opt	opt	opt
paint - chine up & inside (coloured sides opt)	•	•	•	•
pinstriping	•	•	•	•
rod holders x 4	•	•	•	•
rope shelf	•	•	•	•
rounded foredeck	•	•	•	•
side pockets	•	•	•	•
ski hooks x 2	—	—	—	•
sounder	opt	opt	opt	opt
spray chines	•	•	•	•
steering - hydraulic	opt	opt	opt	•
steering - push pull	•	•	•	—
towing eye - double	•	•	•	•
transducer bracket	•	•	•	•
VHF radio	opt	opt	opt	opt
wide side decks	•	•	•	•
TRANSOM				
ultimate edge reverse chine (l/s)	•	•	•	—
ultimate edge reverse chine (ul/s)	—	—	opt	•
FUEL TANK				
under floor / deck fill / gauge	60	80	100	140
RAILS				
bow - low profile / nav light plates	•	•	•	•
console screen	•	•	•	•
rear & transom	•	•	•	•
SEATS				
folding rear lounge (¾)	opt	opt	opt	opt
part upholstered folding	2	2	2	2
seat sockets	4	4	4	4



SPECIFICATION	4.55	4.85	5.0	5.4
bottoms (mm)	3.0	3.0	3.0	4.0
sides (mm)	2.0	2.0	2.0	2.0
beam (m)	2.10	2.15	2.24	2.44
depth (m)	1.10	1.15	1.21	1.30
depth - incl. console rail (m)	1.30	1.35	1.41	1.56
floor ribs	12	13	13	15
no. of persons	5	5	5	6
weight approx (kg)	290	385	470	550
rec hp	50	60	75	100
max hp	60	80	90	135
max motor weight (kg)	120	180	194	230
overall length (m)	4.7	4.95	5.2	5.67

Our Haven Sports model is designed for the fishing enthusiast who requires maximum use of floor space within the hull. With a console positioned to the side and a raised cast deck for additional storage, this model should please many.



* Full Options Shown

CONSOLE HAVEN

The
as a
whic
pref
fite
room
or y
Other
mod
the
feat
and
unpa
pain

The Haven centre console is available in six model lengths which all feature the Ultimate Edge hull that gives excellent performance and stability. The Haven features a well laid out cockpit area with room to move. Designed for the keen fisherman this model provides comfort and options that are sure to please.



SPECIFICATION	4.55	4.85	5.0
bottoms (mm)	3.0	3.0	3.0
sides (mm)	2.0	2.0	2.0
beam (m)	2.10	2.15	2.24
depth (m)	1.10	1.15	1.21
depth - incl. console rail (m)	1.70	1.75	1.86
floor ribs	12	13	13
no. of persons	5	5	5
weight approx (kg)	335	345	420
rec hp	50	60	75
max hp	60	80	90
max motor weight (kg)	120	180	194
overall length (m)	4.7	4.95	5.2



4.55



5.0

CONSOLE HAVEN



4.85m (Some Options Shown)

FEATURES	4.55	4.85	5.0
accessory pre rig	opt	opt	opt
anchorwell	•	•	•
bait board	opt	opt	opt
bait tank	opt	opt	opt
battery & oil rack - in stern	•	•	•
bollards x 3	•	•	•
bow sprit & roller	•	•	•
bungs - 38mm x 2	•	•	•
console (centre) - screen / shelf	•	—	—
console (centre) - screen / shelf / folding top	—	•	•
drink holders x 2	•	•	•
floor - carpeted plywood	•	•	•
flotation - under floor	•	•	•
gunwhale rubber insert	•	•	•
ladder	opt	opt	opt
paint - chine up & inside (coloured sides opt)	•	•	•
pinstriping	•	•	•
rod holders x 2	•	•	•
rope shelf	•	•	•
rounded foredeck	•	•	•
side pockets	•	•	•
sounder	opt	opt	opt
spray chines	•	•	•
steering - hydraulic	opt	opt	opt
steering - push pull	•	•	•
towing eye - double	•	•	•
transducer bracket	•	•	•
VHF radio	opt	opt	opt
wide side decks	•	•	•
TRANSOM			
ultimate edge reverse chine (l/s)	•	•	•
ultimate edge reverse chine (ul/s)	—	—	opt
FUEL TANK			
under floor / deck fill / gauge	60	80	100
RAILS			
bow - split	•	•	•
console screen	•	•	•
rear & transom	•	•	•
SEATS			
folding rear lounge (¾)	opt	opt	opt
storage bin - upholstered lid	•	•	•



CONSOLE HAVEN

The
as a
which
pref
fitted
room
or yo
Other
mod
the a
featu
and
unpa
pain



* Full Options Shown



SPECIFICATION	5.4	5.8	6.1
bottoms (mm)	4.0	4.0	4.0
sides (mm)	2.0	2.0	3.0
beam (m)	2.44	2.44	2.49
depth (m)	1.30	1.35	1.40
depth - incl. console rail (m)	2.01	2.10	2.15
floor ribs	15	16	17
no. of persons	6	6	7
weight approx (kg)	548	552	669
rec hp	100	130	130
max hp	135	150	150
max motor weight (kg)	230	230	230
overall length (m)	5.67	5.92	6.22



CONSOLE HAVEN



5.8m




6.1m

FEATURES	5.4	5.8	6.1
accessory pre rig	opt	opt	opt
anchorwell	•	•	•
bait board	opt	opt	opt
bait tank	opt	opt	opt
battery & oil rack - in stern	•	•	•
bollards x 3	•	•	•
bow sprit & roller	•	•	•
bungs - 38mm x 2	•	•	•
console (centre) - screen / shelf / folding top	•	•	•
drink holders x 2	•	•	•
dive door	•	•	•
floor - carpeted plywood	•	•	•
flotation - under floor	•	•	•
front step up floor - hatch	•	•	•
gunwhale rubber insert	•	•	•
ladder	opt	opt	opt
paint - chine up & inside (coloured sides opt)	•	•	•
pinstriping	•	•	•
rod holders x 2	•	•	•
rope shelf	•	•	•
rounded foredeck	•	•	•
side pockets	•	•	•
ski hooks x 2	•	•	•
sounder	opt	opt	opt
spray chines	•	•	•
steering - hydraulic	•	•	•
towing eye - double	•	•	•
transducer bracket	•	•	•
VHF radio	opt	opt	opt
wide side decks	•	•	•
TRANSOM			
ultimate edge reverse chine (ul/s)	•	•	•
FUEL TANK			
under floor / deck fill / gauge	140	160	220
RAILS			
bow - split	•	•	•
console screen	•	•	•
rear & transom	•	•	•
SEATS			
folding rear lounge (¾)	opt	opt	opt
storage bin - upholstered lid	•	•	•


BOATING FOR FUN...

The
as a
which
prefer
fitted
room
or yo
Other
mode
the a
featu
and i
unpa
paint



RUNABOUT SEEKER

FEATURES	4.15	4.35
bungs - 38mm x 2	•	•
clear metal sealer - under floor	•	•
dash & control panel	•	•
floor - carpeted plywood	•	•
flotation - under floor	•	•
gunwhale rubber insert	•	•
handles - front & rear	•	•
rear corner gussets	•	•
rope cleat	•	•
rope shelf	•	•
spray chines	•	•
step down front floor	•	•
steering - push pull	•	•
tank rack	•	•
towing eye - double	•	•
transducer bracket	•	•
windscreen - opening	•	•
TRANSOM		
standard (l/s)	•	•
RAILS		
windscreen	•	•
SEATS		
rear welded thwart - coolite fitted	•	•
standard plastic swivel	2	2
seat sockets	3	3



The Seeker being the entry level to the Runabout range is available standard as unpainted, however painting is always an option. A carpeted floor forward of the rear thwart seat allows for easy movement around the craft. Pedestal seating is available for the driver and passenger to give added comfort in this Runabout. This model is available in two model lengths.



SPECIFICATION	4.15	4.35
bottoms (mm)	2.0	2.0
sides (mm)	1.6	1.6
beam (m)	1.95	1.97
depth (m)	1.00	1.00
depth - incl. w/screen rail (m)	1.49	1.49
floor ribs	9	10
no. of persons	4	4
weight approx (kg)	190	220
rec hp	30	30
max hp	40	40
max motor weight (kg)	95	110

RUNABOUT CLASSIC

The T
as a
which
prefe
fitted
room
or yo
Othe
mod
the a
featu
and i
unpa
pain



4.55 / 4.85m

* Full Options Shown

The Classic range of runabouts offers four models each with similar features, from the 4.15 and 4.35 fitted with a motorwell to the 4.55 and 4.85 which is complete with the Ultimate Edge hull and boarding platform. The Classic is an ideal runabout that gives comfortable boating for the family day out whether it be fishing or cruising the waterways.



SPECIFICATION	4.15	4.35	4.55	4.85
bottoms (mm)	2.0	2.0	3.0	3.0
sides (mm)	1.6	1.6	2.0	2.0
beam (m)	1.95	1.97	2.10	2.15
depth (m)	1.00	1.00	1.10	1.15
depth - incl. w/screen rail (m)	1.53	1.53	1.52	1.60
floor ribs	9	10	12	13
no. of persons	4	4	5	5
weight approx (kg)	240	310	355	380
rec hp	40	40	50	60
max hp	40	40	60	80
max motor weight (kg)	110	110	120	180
overall length (m)	4.15	4.35	4.7	4.95



4.15m



4.15m

4.35m (Features Full Upholstered Seats)



4.35m

RUNABOUT CLASSIC



4.55m



4.85m

FEATURES	4.15	4.35	4.55	4.85
accessory pre rig	opt	opt	opt	opt
anchorwell	•	•	•	•
battery & oil rack - in stern	—	—	•	•
bollard x 1	•	—	—	—
bollards x 3	—	•	•	•
bow sprit & roller	—	•	•	•
bungs - 38mm x 2	•	•	•	•
cut away dash	—	•	•	•
dashboard glovebox	•	•	•	•
floor - carpeted plywood	•	•	•	•
flotation - under floor	•	•	•	•
gunwhale rubber insert	•	•	•	•
handles - rear	•	•	—	—
paint - chine up & inside / (coloured sides opt)	•	•	•	•
pinstriping	•	•	•	•
rod holders x 2	•	•	•	•
rope shelf	•	•	•	•
side pockets	•	•	•	•
spray chines	•	•	•	•
steering - hydraulic	—	—	opt	opt
steering - push pull	•	•	•	•
step down front floor	•	•	•	•
towing eye - double	•	•	•	•
transducer bracket	•	•	•	•
wide side decks	•	•	•	•
windscreen - opening	•	•	•	•
TRANSOM				
motorwell (l/s)	•	•	—	—
ultimate edge reverse chine (l/s)	—	—	•	•
FUEL TANK				
under floor / deck fill / gauge	—	60	60	80
RAILS				
bow - low profile / nav light plates	•	•	•	•
rear	•	•	•	•
transom	—	—	•	•
windscreen	•	•	•	•
SEATS				
driver slide pedestal	—	—	2	2
folding rear lounge	opt	opt	opt	opt
full upholstered pedestal	—	2	2	2
part upholstered pedestal	2	—	—	—
seat sockets	5	3	3	—

RUNABOUT CAPRI

The T
as a c
which
prefe
fitted
room
or yo
Other
mode
the a
featu
and i
unpa
paint

The elite member of our Runabout range, the Capri is standard with a walk thru dash and screen making this model a popular choice. This runabout's versatility can be varied from skiing to fishing with all the family needs catered for. The Capri is available in six models and they all feature the Ultimate Edge hull with an easy entry boarding platform with a reverse chine bottom to give maximum performance.



* Full Options Shown



SPECIFICATION	4.55	4.85	5.0	5.4	5.8	6.1
bottoms (mm)	3.0	3.0	3.0	4.0	4.0	4.0
sides (mm)	2.0	2.0	2.0	2.0	2.0	3.0
beam (m)	2.10	2.15	2.24	2.44	2.44	2.49
depth (m)	1.10	1.15	1.21	1.30	1.35	1.40
depth - incl. w/screen rail (m)	1.47	1.52	1.62	1.70	1.80	1.85
floor ribs	12	13	13	15	16	17
no. of persons	5	5	5	6	6	7
weight approx (kg)	348	401	440	563	570	688
rec hp	50	60	75	100	130	150
max hp	60	80	90	135	150	175
max motor weight (kg)	120	180	194	230	230	272
overall length (m)	4.7	4.95	5.2	5.67	5.92	6.22



4.85



4.55



5.0

RUNABOUT CAPRI



5.4m



5.8m

FEATURES	4.55	4.85	5.0	5.4	5.8	6.1
accessory pre rig	opt	opt	opt	opt	opt	opt
anchorwell	•	•	•	•	•	•
battery & oil rack - in stern	•	•	•	•	•	•
bollards x 3	•	•	•	•	•	•
bow sprit & roller	•	•	•	•	•	•
bungs - 38mm x 2	•	•	•	•	•	•
dive door	—	—	—	•	•	•
drink holders x 2	•	•	•	•	•	•
fibreglass dash - glovebox	•	•	•	•	•	•
floor - carpeted plywood	•	•	•	•	•	•
flotation - under floor	•	•	•	•	•	•
gunwhale rubber insert	•	•	•	•	•	•
ladder	opt	opt	opt	opt	opt	opt
paint - chine up & inside (coloured sides opt)	•	•	•	•	•	•
pinstriping	•	•	•	•	•	•
pocket nets	•	•	•	•	•	•
rod holders x 2	•	•	•	•	•	•
side pockets	•	•	•	•	•	•
ski hooks x 2	—	—	—	•	•	•
sounder	opt	opt	opt	opt	opt	opt
spray chines	•	•	•	•	•	•
steering - hydraulic	opt	opt	opt	•	•	•
steering - push pull	•	•	•	—	—	—
step down front floor	•	•	•	•	•	•
storage hatch - in floor between seats	—	—	•	•	•	•
towing eye - double	•	•	•	•	•	•
transducer bracket	•	•	•	•	•	•
VHF radio	opt	opt	opt	opt	opt	opt
wide side decks	•	•	•	•	•	•
windscreen - walk thru	•	•	•	•	•	•
TRANSOM						
ultimate edge reverse chine (l/s)	•	•	•	—	—	—
ultimate edge reverse chine (ul/s)	—	—	opt	•	•	•
FUEL TANK						
under floor / deck fill / gauge	60	80	100	140	160	220
RAILS						
bow - low profile / nav light plates	•	•	•	•	•	•
rear & transom	•	•	•	•	•	•
windscreen	•	•	•	•	•	•
SEATS						
driver slide pedestal	—	•	•	•	•	•
folding rear lounge	opt	opt	opt	opt	opt	opt
full upholstered pedestal	2	2	2	2	2	2
seat sockets	3	—	—	—	—	—

BOWRIDER WANDERER

Explore new horizons with the Wanderer, whether is be cruising the waterways or casting a line, this model will be popular with boating families. Fitted standard with a carpeted front cockpit, including a mid section that can be fitted and used as a full cast platform, or add the option of bunk cushions for comfortable seating. The optional folding rear lounge may be fitted for added seating or kept clear for added floor space. The Wanderer is available in five model lengths that all use the Ultimate Edge hull and convenient boarding platform providing excellent boating performance.



* Full Options Shown



SPECIFICATION	4.85	5.0	5.4	5.8	6.1
bottoms (mm)	3.0	3.0	4.0	4.0	4.0
sides (mm)	2.0	2.0	2.0	2.0	3.0
beam (m)	2.15	2.24	2.44	2.44	2.49
depth (m)	1.15	1.21	1.30	1.35	1.40
depth - incl. w/screen rail (m)	1.54	1.58	1.69	1.75	1.80
floor ribs	13	13	15	16	17
no. of persons	5	5	6	6	7
weight approx (kg)	430	471	614	625	770
rec hp	60	75	110	130	150
max hp	80	90	135	150	175
max motor weight (kg)	180	194	230	230	272
overall length (m)	4.95	5.2	5.67	5.92	6.22



4.85



5.4



BOWRIDER WANDERER



5.8m



5.0m

FEATURES	4.85	5.0	5.4	5.8	6.1
accessory pre rig	opt	opt	opt	opt	opt
anchorwell	•	•	•	•	•
battery & oil rack - in stern	•	•	•	•	•
bollards x 3	•	•	•	•	•
bow sprit & roller	•	•	•	•	•
bungs - 38mm x 2	•	•	•	•	•
consoles (side) x 2 - fibreglass	•	•	•	•	•
dash / glovebox	•	•	•	•	•
dive door	—	—	•	•	•
drink holders x 2	•	•	•	•	•
drop in dash between consoles	•	•	•	•	•
floor - carpeted plywood	•	•	•	•	•
flotation - under floor	•	•	•	•	•
front cast platform - storage underneath	•	•	•	•	•
gunwhale rubber insert	•	•	•	•	•
ladder	opt	opt	opt	opt	opt
paint - chine up & inside (coloured sides opt)	•	•	•	•	•
pinstriping	•	•	•	•	•
pocket nets	•	•	•	•	•
rod holders x 2	•	•	•	•	•
rounded foredeck	•	•	•	•	•
side pockets	•	•	•	•	•
ski hooks x 2	•	•	•	•	•
sounder	opt	opt	opt	opt	opt
spray chines	•	•	•	•	•
steering - hydraulic	opt	opt	•	•	•
steering - push pull	•	•	—	—	—
step down front floor	•	•	•	•	•
storage hatch - in floor between seats	—	—	•	•	•
towing eye - double	•	•	•	•	•
transducer bracket	•	•	•	•	•
VHF radio	opt	opt	opt	opt	opt
wide side decks	•	•	•	•	•
windscreen - walk thru	•	•	•	•	•
TRANSOM					
ultimate edge reverse chine (l/s)	•	•	—	—	—
ultimate edge reverse chine (ul/s)	—	opt	•	•	•
FUEL TANK					
under floor / deck fill / gauge	80	100	140	160	220
RAILS					
bow - low profile / nav light plates	•	•	•	•	•
rear & transom	•	•	•	•	•
windscreen	•	•	•	•	•
SEATS					
bow cushions with back rest	opt	opt	opt	opt	opt
driver slide pedestal	•	•	•	•	•
folding rear lounge (¾)	opt	opt	opt	opt	opt
full upholstered pedestal	2	2	2	2	2

CABIN VENTURE CAB

Looking for a spacious cabin for offshore, then the Venture Cab is the one to choose. An ideal family craft providing hours of boating pleasure with a spacious cab to shelter those onboard from the elements. To add comfort in the cab, the optional bunk cushions can be added. A folding rear lounge is also an option if you require additional seating. This Sea Jay "Ultimate Edge" model features a new hull design to provide greater stability and all round performance. A 4mm aluminium bottom incorporates a reverse chine and compatible transom allowing this craft to perform extremely well. Your ride is second to none as you head to your favourite patch of reef.



* Full Options Shown



SPECIFICATION	5.0	5.4	5.8	6.1
bottoms (mm)	3.0	4.0	4.0	4.0
sides (mm)	2.0	2.0	2.0	3.0
beam (m)	2.24	2.44	2.44	2.49
depth (m)	1.21	1.30	1.35	1.40
depth - incl. w/screen rail (m)	1.96	2.04	2.15	2.20
floor ribs	13	15	16	17
no. of persons	5	6	6	7
weight approx (kg)	505	679	690	805
rec hp	75	100	130	150
max hp	90	135	150	175
max motor weight (kg)	194	230	230	272
overall length (m)	5.2	5.67	5.92	6.22



CABIN VENTURE CAB



FEATURES	5.0	5.4	5.8	6.1
accessory pre rig	opt	opt	opt	opt
anchorwell	•	•	•	•
battery & oil rack - in stern	•	•	•	•
bait board	opt	opt	opt	opt
bait tank	opt	opt	opt	opt
bollards x 3	•	•	•	•
bow sprit & roller	•	•	•	•
bungs - 38mm x 2	•	•	•	•
dive door	—	•	•	•
drink holders x 4	•	•	•	•
floor - carpeted plywood	•	•	•	•
flotation - under floor	•	•	•	•
front opening hatch	•	•	•	•
gunwhale rubber insert	•	•	•	•
ladder	opt	opt	opt	opt
paint - chine up & inside (coloured sides opt)	•	•	•	•
pinstriping	•	•	•	•
rear instrument cover	—	•	•	•
rod holders x 2	•	•	•	•
side pockets	•	•	•	•
ski hooks x 2	•	•	•	•
sounder	opt	opt	opt	opt
spray chines	•	•	•	•
steering - hydraulic	opt	•	•	•
steering - push pull	•	—	—	—
towing eye - double	•	•	•	•
transducer bracket	•	•	•	•
VHF radio	opt	opt	opt	opt
wide side decks	•	•	•	•
TRANSOM				
ultimate edge reverse chine (l/s)	•	—	—	—
ultimate edge reverse chine (ul/s)	opt	•	•	•
CABIN				
bunks- carpeted / storage underneath	•	•	•	•
cabin lining	•	•	•	•
moulded instrument & steering panel	•	•	•	•
nav lights - wires under cabin lining	•	•	•	•
windscreen	•	•	•	•
FUEL TANK				
under floor / deck fill / gauge	100	140	160	220
RAILS				
bow - split	•	•	•	•
cabin	•	•	•	•
rear & transom	•	•	•	•
windscreen	•	•	•	•
SEATS				
bunks with cushions	opt	opt	opt	opt
driver slide pedestal	•	•	•	•
folding rear lounge	opt	opt	opt	opt
full upholstered x 2	•	•	•	•
full upholstered on storage/seat box	opt	opt	opt	opt

ACCESSORIES & OPTIONS

LOW SIDE CONSOLE




4.15m - 4.55m




STANDARD CENTRE CONSOLE

4.85m - 5.0m



FOLDING CENTRE CONSOLE

5.4m - 6.1m



FOLDING CENTRE CONSOLE

STANDARD ANCHORWELL




ANCHORWELL WITH DIVIDER



SET DOWN ANCHORWELL



SPLIT BOW RAIL



SEATING / STORAGE BOX



(VENTURE CAB MODELS)

FULL UPHOLSTERED SEAT



PART UPHOLSTERED SEAT



(FOLDING AVAILABLE)

STANDARD PLASTIC SEAT



ACCESSORIES & OPTIONS

REAR STEPS & GRAB RAIL



FOLDING LADDER



(ULTIMATE EDGE MODELS)

PLASTIC LIVE BAIT TANK



(PLUMBED)

LIVE BAIT TANK IN FLOOR



LOW PROFILE BOW RAILS



(RUNABOUT/SPORTS & BOWRIDER)

ESCAPE BOW RAILS



SHORT FRONT RAILS



WITH NAV LIGHT PLATES

REAR RAILS &



SIDE POCKETS

REAR LOUNGE



(MOTORWELL MODELS)

REAR LOUNGE



(ULTIMATE EDGE MODELS)

FULL REAR LOUNGE



ON STORAGE BOX

STORAGE BOX



WITH FOLDING BACK REST

ACCESSORIES & OPTIONS

ACCESSORY PRE RIG KIT



STD DRINK HOLDERS



DLX DRINK HOLDER



STAINLESS STEEL



SKI TOW EYE

ROD HOLDER



BAITBOARD BOARD



(4.55 & 6.1 MODELS)

STAINLESS STEEL SKI POLE



& BAIT BOARD

STAINLESS STEEL TARGA



FULL CAST PLATFORM



WITH HATCH

PART CAST PLATFORM



WITH HATCH

PART FLOOR



(FULL FLOOR AVAILABLE)

3/4 FLOOR



COLOURS & DIMENSIONS

PINSTRIPE COLOUR



STANDARD PINSTRIPE - CHOICE OF TWO



DELUXE PINSTRIPE - CHOICE OF THREE



DIMENSIONS



UPHOLSTERY COLOUR

GREY PLUS ONE COLOUR



PINSTRIPE & UPHOLSTERY COLOURS



YELLOW



GOLD



RED



BURGUNDY



* OLYMPIC
BLUE



BLUE



METALLIC
BLUE



VIKING
BLUE



AQUA



AQUA
GREEN



MIST
GREEN



WHITE



GREY



METALLIC
CHARCOAL



BLACK



SILVER

* PINSTRIPE COLOUR ONLY

OPTIONAL PAINT COLOURS - HULL SIDES

(INSIDE HULL & DECK WHITE)



DARK
GREEN



CRIMSON



RICH
BLUE



ULTRA
MARINE



BLACK


NOTE: COLOURS SHOWN ARE APPROXIMATE

TRAILERS

Choosing a trailer is an important step. Your craft may be damaged by an incorrect fitting or sizing of a trailer. Therefore we offer this select range of trailers which are well suited to our boats.



WIND UP
JOCKEY WHEEL



SUBMERSIBLE
LIGHTING

SELF CENTERING
POLY SLIDERS

GALVANIZED
WHEELS

JOCKEY
WHEEL

WEIGHTS OF PACKAGES VARY, PLEASE ASK DEALER
TO GET ACCURATE TOTAL GVM PRIOR TO ORDERING

BOAT	TRAILER	P/N	TYRE SIZE	GAL SUSPENSION	W/P LIGHTS	TEFLON PADS	BRAKES	GVM
Barra Punt 3.15	CL3.7m - 10L	9209	10"	std	std	long	no	650kg
Barra Punt 3.55	CL4.2m - 13L	9284	13"	std	std	long	no	650kg
Nomad 3.2	CL3.7m - 10L	9209	10"	std	std	long	no	650kg
Nomad 3.5	CL3.7m - 10L	9209	10"	std	std	long	no	650kg
Nomad 3.7	CL4.2m - 13L	9284	13"	std	std	long	no	650kg
Nomad / Swift 3.95	CL4.2m - 13L	9284	13"	std	std	long	no	650kg
Nomad / Swift 4.35	CL4.4m - 13	9285	13"	std	std	long	no	750kg
Nomad Discovery 3.95	CL4.2m-13L	9284	13"	std	std	long	no	750kg
Nomad Discovery / Sports 4.35	CL4.4m - 13	9285	13"	std	std	long	no	750kg
Nomad Sports 5.0	CL5.0m - 13BMD	9044	13"	std	std	long	yes	1180kg
Punt 3.0/3.4	CL3.7m - 10L	9209	10"	std	std	long	no	650kg
Punt 3.7	CL4.2m - 13L	9284	13"	std	std	long	no	650kg
Angler 3.15/3.55	CL3.7m - 10L	9209	10"	std	std	long	no	650kg
Angler 3.75/3.95	CL4.2m - 13L	9284	13"	std	std	long	no	650kg
Magnum 4.15	CL4.2m - 13L	9284	13"	std	std	long	no	650kg
Magnum 4.35/4.55	CL4.4m - 13	9285	13"	std	std	long	no	750kg
Magnum 4.85	CL4.7M-13	9286	13"	std	std	long	no	750kg
Magnum 5.35	CL5.3m - 14B	9219	14"	std	std	long	yes	1400kg
Magnum 6.0	CL5.7m 14B(HD)	9223	14"	std	std	long	yes	1400 kg
Castaway 4.15	CL4.2m - 13L	9284	13"	std	std	long	no	650kg
Castaway 4.35	CL4.4m - 13	9285	13"	std	std	long	no	750kg
Cataway 4.55	CL4.4m - 13	9285	13"	std	std	long	no	750kg
Escape 4.15	CL4.2m - 13L	9284	13"	std	std	long	no	650kg
Escape / Sports 4.35	CL4.4m - 13	9285	13"	std	std	long	no	750kg
Escape / Sports 4.55	CL4.4m - 13	9285	13"	std	std	long	no	750kg
SP / Territory 4.15	CL4.2m - 13L	9284	13"	std	std	long	no	650kg
SP / Territory 4.35	CL4.4m - 13	9285	13"	std	std	long	no	750kg
SP / Territory 4.55	CL4.4m - 13	9285	13"	std	std	long	no	750kg
Territory 4.85	CL4.7m - 13B	9233	13"	std	std	long	no	1000kg
Haven / Sports 4.55	CL4.4m - 13	9285	13"	std	std	long	no	750kg
Haven / Sports 4.85	CL4.7m - 13B	9233	13"	std	std	long	yes	1000kg
Haven / Sports 5.0	CL5.0m - 13BMD	9044	13"	std	std	long	yes	1180kg
Haven / Sports 5.4	LWS5.3M-14B	9714	14"	std	std	long	yes	1400kg
Haven 5.8	LWS6.2M-13TB	9721	13"	std	std	long	yes	2000kg
Haven 6.1	LWS6.2M-13TB	9721	13"	std	std	long	yes	2000kg
Tropic 4.85	CL4.7m - 13B	9233	13"	std	std	long	yes	1000kg
Tropic 5.35	CL5.3m - 14B	9219	14"	std	std	long	yes	1400kg
Seeker/Classic 4.15	CL4.2m - 13L	9284	13"	std	std	long	no	650kg
Seeker/Classic 4.35	CL4.4m - 13	9285	13"	std	std	long	no	750kg
Classic/Capri 4.55	CL4.4m - 13	9285	13"	std	std	long	no	750kg
Classic/Capri 4.85	CL4.7m - 13B	9233	13"	std	std	long	yes	1000kg
Capri 5.0	CL5.0m - 13BMD	9044	13"	std	std	long	yes	1180kg
Capri 5.4	LWS5.3M-14B	9714	14"	std	std	long	yes	1400kg
Capri 5.8	LWS6.2M-13TB	9721	13"	std	std	long	yes	2000kg
Capri 6.1	LWS6.2M-13TB	9721	13"	std	std	long	yes	2000kg
Wanderer 4.85	CL4.7m - 13B	9233	13"	std	std	long	yes	1000kg
Wanderer 5.0	CL5.0m - 13BMD	9044	13"	std	std	long	yes	1180kg
Wanderer 5.4	LWS5.3M-14B	9714	14"	std	std	long	yes	1400kg
Wanderer 5.8	LWS6.2M-13TB	9721	13"	std	std	long	yes	2000kg
Wanderer 6.1	LWS6.2M-13TB	9721	13"	std	std	long	yes	2000kg
Venture Cab 5.0	CL5.0m - 13BMD	9044	13"	std	std	long	yes	1180kg
Venture Cab 5.4	LWS5.3M-14B	9714	14"	std	std	long	yes	1400kg
Venture Cab 5.8	LWS6.2M-13TB	9721	13"	std	std	long	yes	2000kg
Venture Cab 6.1	LWS6.2M-13TB	9721	13"	std	std	long	yes	2000kg

Ltd A.C.N. 106 576 229

Terms of the Warranty given by the Company in respect of products manufactured by it.

means C & J Glass Holdings Pty Ltd A.C.N. 106 576 229.

means the Buyer of any boat manufactured by the Company.

means an aluminium boat or accessory which is manufactured by the Company.

means the period of two years from the date of delivery to the original customer.

Warrants to the Customer that:-

1. That the materials used in the construction of the boat are in accordance with, or
2. That the boat is constructed in accordance with the standard usual in the aluminium boat building industry; and
3. That the boat will remain free of defects during the warranty period.

Warranty

At the end of the warranty the Customer should return the boat to the place of purchase.

Warranty does not cover any defect or damage caused by:-

1. Use of the boat or its operation outside design limitations;

2. Abuse or negligence; or

3. Use of a motor which has more power than is recommended on the

4. Information plate attached to the Boat.

Warranty does not cover damage caused by fuel and

Warranty does not cover usage and conditions which may be experienced in commercial

5. A customer intending to purchase the Boat for a commercial purpose

6. A customer representing to himself/herself that the Boat is suitable for the intended purpose.

Warranty does not cover any boat which has been used for a commercial purpose.

Other Warranties

In this document no warranty, express or implied, is given by the

Company which is implied by law.


GENERAL MAINTENANCE

It is important to follow a few basic rules in providing regular maintenance to your new vessel.

1. Always thoroughly wash your entire vessel with fresh water and mild detergent after use.
2. A spray of a protective lanolin based product should be re-applied after washing, to all areas where dissimilar metals are fitted. eg. Any Stainless Steel fittings (Windscreen Bolts, Rod Holders, Baitboard etc.)
3. If an accessory is fitted after market (not factory fitted) it is important to spray a protective lanolin based product to these areas where salt or moisture can be attracted.
4. Leave your vessel permanently tilted to drain after use.
5. Floatation material can be affected by petrol. Check periodically.



satiation



www.seajayboats.com.au

Follow the dealer link to locate your local Sea Jay dealer.

DEALER NETWORK

Our National Dealer Network will provide you with updated information and marketing of our product. As fishing and boating needs differs in various parts of our nation, our Dealer Network will provide the right product for their area requirements. However if your needs call for a variation, Sea Jay have a range of optional accessories and fittings to meet your needs.

As Sea Jay continues to make improvements to our product, we do reserve the right to change any details that are contained herein.

All specifications quoted in this brochure are approximate and subject to change.

Please note that photos may show accessories or options that are not standard, please check the features for the standard options applicable.

For further information on the Sea Jay Model range please contact your authorised Dealer as Sea Jay Aluminium Boats do not sell our product direct from the factory.

Sea Jay Boats

A.B.N. 44 975 385 413

2 Maddison Court, Bundaberg Qld 4670

Phone (07) 4152 2111 Fax (07) 4153 5075

Your Authorised Sea Jay Distributor