

INTRODUCING WHO WE ARE

Sea Jay Aluminium Boats is a family company owned by Col and Janelle Glass, established in Bundaberg in 1989. Boating has played a major part in the family life over many years, having been involved in boating from a young age as recreational fishermen, water skiers and boat racing, hence the involvement in the boating industry. With premises covering 7,000m² and with 2,280m² under cover this provides easy movement for product and supplies.

OUR COMMITMENT

Sea Jay bring their product to you with their personal pride and trust you will enjoy many memorable moments on some of the best waterways this country offers. What a better way to relax by "GETTING AMONGST IT" in a quality Sea Jay Aluminium Boat you can rely on and trust.

THE SEA JAY ADVANTAGE

- · Wide side decks are fully welded
- · Plywood sealed prior to fitting carpet
- Unpainted boat floors sprayed with a clear metal sealer
- · Individually hand fitted flooring
- 3mm and 4mm material bottoms are stitched welded internally on the keel and chine for extra strength
- Skilled employees to design, develop and manufacture our product

Edition 10 - Dated 18th February, 2010

WHEN BUYING A BOAT

If you have been involved in boating for many years you will be familiar with the aspects of boating, however if this is your first boat we would like to assist you with some boating key points. Your authorised Sea Jay Dealer will be able to suggest the model you require by considering the following aspects.

The model you require will depend on your type of boating activity and the conditions of the waterways you use. Models can vary in performance so you would need to consider the waterways you will use most frequently. From our lakes and rivers to offshore the various boat models available enable you to make this decision.

Your engine requirements will also play an important part in your boat model choice. You will need to consider the size and type of engine that fit your requirements. The boat model specifications show the recommended and maximum hp and motor weight applicable. The boat hull performance can be spoilt by an incorrectly fitted or trimmed engine. Therefore if you are new to boating and had fittle experience with outboard engines, your dealer will guide you with the correct engine transom position and explain about motor trimming if your engine has this option.

The loading of your boat hull is important when wanting the best ride. If you intend to carry a big load, the model size and engine hp need to be a factor, together with the position the load is carried in the boat. If these factors are considered your boat will move "on to the plane" with ease.

An incorrect trailer set up can damage your craft, so it is important when deciding on a trailer, to consider the distance you will be travelling, the launching variations and the type of road surface you will use. As with your boat, trailer options can vary so there is a trailer model to suit your needs.

Learn all there is to know about boating safety through your Transport Department Safety Hand Book and play safe on our waterways.



PLATE EXTREME	
	7
SPECIALITY OPEN BOAT	
SP	8
TERRITORY	9
ESCAPE	10
ESCAPE SPORTS	11
CASTAWAY	12
V-NOSE	
NOMAD SWIFT	13
NOMAD DISCOVERY	14
NOMAD DISCOVERY SPORTS	15
TOURNAMENT	THE STATE OF
NOMAD VIPER	16
QUICK STRIKE	17
CONSOLE	138
HAVEN	20 - 23
HAVEN SPORTS	24
TROPIC	25
RUNABOUT	A COLUMN
SEEKER	26
CLASSIC	27
CAPRI	28 - 29
BOWRIDER	
WANDERER	30 - 31
CABIN	
VENTURE CAB	32 - 33
OPTIONS & ACCESSORIES	
	34 - 35
COLOURS & DIMENSIONS	
	36 - 37
TRAILERS	
	38
WARRANTY	
ACTION INC.	39
GENERAL MAINTENANCE	
	40

ABOUT THE SEA JAY RANGE

- · High sides and wide beam
- · Maximum performance
- Stability
- · Various options
- Quality fittings
- · Specialty models for all entry levels
- Over 70 pressed models from 2.45m to 6.1m, with models available for all boating enthusiasts
- Models available for the commercial sector

QUALITY & WORKMANSHIP

- Quality and pride in workmanship is an important aspect of the manufacturing process.
- Sea Jay ensures employees build their product with the pride of workmanship they would expect in a boat of their own. This motto is carried through the entire manufacturing process.
- Sea Jay employees receive on the job training by qualified personal.
- A quality checking system is in place to check material and product at each stage throughout the manufacturing process. All attempts are made to provide a quality product to enter the market place.













PLATE EXTREME PLATE MODELS



TREME

PLATE EXTREME MODELS

Being full plate construction, the structural strength of these models is second to none, a solid but very stable hull that plains easily together with reverse chine for a soft ride.











Standard Features and Specifications Available By Contacting Your Local Dealer or Visit www.seajayboats.com.au



SP MODELS

The SP an open Magnum hull with additional features such as wide side decks, full floor and pedestal seating make this model a value added tinnle. The Sp is available in three model lengths, with the 4.55 featuring the Sure Trac reverse chine hull that gives you added stability.

SUI	re T	AAC	
SPECIFICATIONS	4.2	4.4	4.55
bottoms (mm)	2.0	2.0	3.0
sides (mm)	1.6	1.6	2.0
beam (m)	1.95	1.97	2.05
depth (m)	1.00	1.00	1,08
floor ribs	9	10	11
no. of persons	4	4	5
weight approx (kg)	203	211	261
rec hp	30	30	40
max hp	40	40	50
max motor weight (kg)	95	110	115



SPECIALTY OPEN BOAT ESCAPE

		SURE T	RAC		
	FEATURES	4.2	4.4	4.55	
	Platinum Series		_	opt	
	anchor cavity				
	battery rack under cast deck			14	
	bungs - 38mm x 2				
	cast platform - front / carpeted / hatch				
	cast platform - rear / carpeted / hatch				
	dry storage box				
	floor - carpeted plywood				
	flotation - under floor		(*)		
	gunwhale rubber insert				
	handles - rear				
	live bait tank - plumbed				
	minnkota plate - on bow			10	
	paint - chine up & inside (coloured sides	opt) •			
	pinstriping	201			
	rod holders x 4				
	side pockets				
	sounder mount				
	splash well - small				
	spray chines				
	switch panel plate	*			
	tank rack (1/2) - under rear cast deck				
	towing eye - double	(4)		(40)	
	transducer bracket			74.7	
	wide side decks			300	
	TRANSOM				
Ī	standard (I/s)			100	
	FUELTANK				
Ī	under floor / floor fill	-	60	60	
	RAILS				
	bow - short / nav light plates			200	
	rear				
	SEATS				
	part uphoistered pedestal	2	2	2	



4.4m

ESCAPE / SPORTS MODELS

4.2m

The Escape and Escape Sports models, features a full front cast platform which make this model a little different from the Escape model. The sports model features a side console and both are fitted with a vast range of standard options. This model is suitable for all style of anglers who like to explore the estuaries for that special spot.

5	URE T	AAC	
SPECIFICATIONS	4.2	4.4	4.55
bottoms (mm)	2.0	2.0	3.0
sides (mm)	1.6	1.6	2.0
beam (m)	1.95	1.97	2.05
depth (m)	1.00	1.00	1.08
floor ribs	9	10	11
no. of persons	4	4	5
weight approx (kg)	252	282	325
rec hp	30	40	40
may hn	40	40	50

max motor weight (kg)

95 110 115

-

4.55m

seat sockets



SPECIALTY OPEN BOAT GASTAWAY

	SURE T	RAC		1
FEATURES	4.2	4.4	4.55	
Platinum Sories	-		opt	
bungs - 38mm x 2				
cast platform - front / hatches x 2				
electric motor transom mount				
floor - carpeted plywood			14	
fletation - under floor				
gunwhale rubber insert	(*)			
handles - rear				
live bait tank - no pump	7.0	1911		
paint - chine up & inside (coloured sides or	ot) •			
pinstriping				
rope shelf				
set down foredeck				
side pocket - starboard side				
sounder mount				
spray chines		(40)		
switch panel plate		(4)		
towing eye - double	(90)			
transducer bracket		1977	100	
wide side decks				
TRANSOM	_		-	T
standard (I/s)				Т
RAILS				Ŧ
bow - short / nav light plates				ī
rear		100		
SEATS	_			
part upholstered pedestal	2	2	2	
seat sockets	8	7	7	



Our Castaway model features a "Set Down Foredeck, suitable for sorting your catch. This model also has well appointed key features to tempt the angler. The Castaway is available in three models with the 4.55 featuring the Sure Trac reverse chine hull that gives enhanced performance and efficiency.

ſ	50	RE T	RAC		
	SPECIFICATIONS	4.2	4.4	4.55	
	bottoms (mm)	2.0	2.0	3.0	
	sides (mm)	1.6	1.6	2.0	
	beam (m)	1.95	1.97	2.05	
	depth (m)	1.00	1.00	1.08	
	floor ribs	9	10	11	
	no. of persons	4	4	5	
	weight approx (kg)	225	240	291	
	rec hp	30	30	40	
	max hp	40	40	50	
	max motor weight (kg)	95	110	115	



FEATURES anchor cavity bungs - 38mm x 2 cast platform - front to bow / hatches x 2 clear metal sealer - under floor floor (part) - carpeted plywood flotation - under floor gunwhale rubber insert handles - rear spray chines switch panel plate tank rack - carpeted towing eye - double transducer bracket wide side decks OPTIONAL FEATURES full floor with extra seat & socket for driver opt opt TRANSOM standard (s/s) standard (I/s) RAILS bow - short / nav light plates rear SEATS rear thwart. standard plastic swivel seat sockets

SWIFT MODELS

All Named Seriff

SEA LAY

4.1m

The Nomad Swift is yet another model option to the Nomad range, taking our standard Nomad with a few added features to give you a little bit more in boating versatility. As an option to this model you could replace the thwart seat with continued flooring and a pedestal seat for just a small price.

SPECIFICATIONS	4.1	4.4
bottoms (mm)	1.6	2.0
sides (mm)	1.6	1.6
beam (m)	1.79	1.90
depth (m)	0.88	0.99
floor ribs	9	10
no. of persons	4	4
weight approx (kg)	196	224
rec hp	25	30
max np	30	40
max motor weight (kg)	80	110

44 Nomad Sail

V-NOSE NOMAD DISCOVERY

FEATURES	4.1	4.4
anchor cavity		
battery rack - under front hatch		
bungs - 38mm x 2		
cast platform - front / carpeted / hatches x 2		
cast platform - rear / carpeted		
electric motor mount - on bow		
floor - carpeted plywood		
flotation - under floor		
fuel line - front storage rack to transom		*
gunwhale rubber insert		
handles - rear		
live balt tank - plastic / plumbed	*:	
minnkota plate - on bow		*
paint - chine up & inside (coloured sides opt)		
pinstriping		
rod holders x 2		*
spray chines		
storage rack - under front cast platform	*	
switch panel plate		
tank rack (1/2) - under rear bulkhead		
towing eye - double		
transducer bracket		
wide side decks		
TRANSOM		
standard (Vs)		
RAILS		
bow - short / nav light plates		*
rear		
SEATS		
part uphoistered pedestal	2	2
seat sockets	4	4

SPECIFICATIONS	4.1	4.4	
bottoms (mm)	1.6	2.0	
sides (mm)	1.6	1.6	
beam (m)	1.79	1.90	
depth (m)	0.88	0.99	
floor ribs	9	10	
no, of persons	4	4	
weight approx (kg)	225	255	
rec hp	25	30	
max hp	30	40	
max motor weight (kg)	80	110	



deck together with other well appointed features that would make any angler enjoy their time on the water.

The Discovery offers an open cast

4A Discovery

V-NOSE NOMAD DISCOVERY SPORTS



fitted which gives you a model slightly varied from the Discovery, together with a few additional features that will impress the "Sports Fisherman"

SPECIFICATIONS	4.4	4.65	
bottoms (mm)	2.0	3.0	
sides (mm)	1.6	2.0	
beam (m)	1.90	2.08	
depth (m)	0.99	0.99	
depth - Incl. console rail (m)	1.29	1.27	
floor ribs	10	11	
no. of persons	4	4	
weight approx (kg)	275	372	
rec hp	40	60	
max hp	50	80	
max motor weight (kg)	115	180	
overall length (m)	4.4	4.65	

	FEATURES	4.4	4.65
	Platinum Series		opt
	anchor cavity		
	battery rack - under front hatch		
	bungs - 38mm x 2		
	cast platform - front / carpeted / hatch	-	(*/)
	cast platform - front / carpeted / hatches x 2		-
	cast platform - rear / hatch		-
	cast platform - rear / hatches x 2	-	
	console (side) - screen / shelf		
	electric motor mount - on bow		
	floor - carpeted plywood		
	flotation - under floor		
	fuel line - from front storage rack to transom		
	gunwhale rubber insert		
	handles - rear		-
	live balt tank - plastic / plumbed		
	paint - chine up & inside (coloured sides opt)		
	pinstriping		
	rod holders	2	24
	spray chines		
	steering - push pull		
	tank rack - under front cast platform		- 2
	tank rack (1/2) - under rear cast platform		40
	tank rack - under rear cast platform	-	
	towing eye - double		
	transducer bracket		
	wide side decks - to bow		
	TRANSOM		
	standard (I/s)		
	ultimate edge (I/s)	22	
	FUEL TANK		
- 5	under floor / deck fill / gauge		65
	RAILS		-
	bow - short / nav light plates		-
-8	console screen		
	rear transom	_	
i i	SEATS		
17	part upholstered folding pedestal	2	2
	seat sockets	4	A

4.65m

TOURNAMENT V-NOSE NOMAD VIPER

1	FEATURES	4.65
	Platinum Sortes	opt
	accessory pre rig	*
	anchorwell - carpeted lid	
	battery rack - under front hatch	
	bungs - 38mm x 2	
	cast platform - front / carpeted / hatch	+:
	cast platform - rear / carpeted / hatches x 2	
	sports console (side) - screen	
	electric motor mount	*
	floor - carpeted plywood	
	flotation - under floor	
	gunwhale rubber insert	
	live bait tank - rear / plumbed / 30ltr	
	live well - front / plumbed / 75ltr	
	paint - chine up & inside (coloured sides opt)	
	pinstriping	
	rod holders x 5	
	spray chines	
	steering - push pull	
	storage under bench seats	*
	storage under step	
	towing eye - double	*
	transducer bracket	
	wide side decks	*
Ī	TRANSOM	
Ī	ultimate edge	
Ī	FUEL TANK	
Ī	under floor / deck fill / gauge	65
1	RAILS	1000
Ī	bow - short / nav light plates	
	transom	
	SEATS	
	folding bench with back rest	



VIPER MODELS

Here's one for the tournament angler, the new Sea Jay 4.65 Nomad Viper. The 4.65 VIPER is designed exclusively for the tournament angler or the passionate fisherman, with its sleek lines and attention to detail, the VIPER is an impressive addition to the Sea Jay range. A large deck height casting area with handy storage hatches, live well, bait tank, under floor fuel, stylish console and screen and a full transom with boarding platform are just a few of the standard features offered in this model.

4.65m

5.0 QUICKSTRIKE

Striking A blow in the Sports Fishing Market is the new high performance, incredibly fishable QuickStrike, On inspection of the Sea Jay QuickStrike, serious anglers will identify the superior qualities of its design, durable construction and first class finish.

Excellent handling, rough water comfort and top end performance is delivered to you by its Platinum Series, Sure Trac Hull. Rated to 115hp, it has an exceptional hole shot, planning easily and efficiently.

The QuickStrike reveals Sea Jay's "Intra Pod" – Integrated Pod Construction. Not only is the integrity of the pod superior and more aesthetically pleasing, but it also incorporates a larger boarding area which may be utilized as additional fishing space.

Also appearing is the unique fold up bench seating for three perfectly placing the driver in alignment of its T.C.S – "Total Control Station", further enhancing the sports fishing appeal of this sleek hull.

Huge decks and superior performance makes it a sports fishing standout; from first light to weigh-in, the QuickStrike will have you ahead of the competition.

SPECIFICATIONS	5.0
bottoms (mm)	4.0
sides (mm)	3.0
beam (m)	2.12
depth (m)	0.90
floor ribs	13
no. of persons	3
weight approx (kg)	490
rec hp	90
max hp	115
max motor weight (kg)	195
overall length (m)	5.0

5.0m



TOURNAMENT 5.0 QUICKSTRIKE

h	FEATURES	-
	Platinum Series	5.0
	accessory pre rig	
	anchorwell - carpeted lid	
	battery storage - under front hatch	
	bungs - 38mm x 2	1255
	cast platform - front / carpeted / hatch	
	cast platform - rear / carpeted / hatches x 2	
	electric motor mount	
	floor - carpeted plywood	
	flotation - under floor	•
	gunwhale rubber insert	
	live bait tank - rear / plumbed / 30ltr	
	paint - chine up & inside (coloured sides opt)	•
	pinstripping	
	spray chines	
	steering - hydraulic	
	storage under bench seats	
	TCS (total control station)	
	towing eye - double	
	transducer bracket	
	wide side decks - to bow	•
	TRANSOM	•
	intra pod	
	FUEL TANK	
i	under floor / deck fill / gauge	400
1	RAILS	100
	bow - short / nav light plates	
	transom	*
	SEATS	<u>.</u>
	folding bench with back rest	
	INDING DOUGH WITH DUCK LEZE	



TCS (total control station)



PLATINUM SERIES

What is the Platinum Series? A modern design alternative for the sides of the hull incorporating 3mm Slab Sides. (Two presses are formed, one near the gunwhale and the other near the chine) Traditionally painted white or an optional fashionable colour, this hull gives a tough but stylish appearance. Slab Sides are now an option available on all Sea Jay Boats models 4.55m and over.

Platinum Series




ss Haven















CONSOLE HAVEN SPORTS

		SURE TRAC				
	FEATURES	4.55	4.85	5.0	5.4	
	Platinum Series	opt	opt	opt	opt	
	accessory pre rig	opt	opt	opt	opt	
	anchorwell	*:				
	bait board	opt	TGO	opt	opt	
	balt tank	opt	opt	opt	opt	
	battery & oil rack - in stern	*				
	bollards x 3					
	bow sprit & roller					
	bungs - 38mm x 2				14	
	cast platform - hatch			300	140	
	console (side) - screen / shelf		(4)		176.0	
	console (side) - fibreglass dash	opt	opt	opt	opt	
	dive door	-	===	_	200	
	drink holders x 2		100	3.53		
	floor - carpeted plywood					
	flotation - under floor					
	gunwhale rubber insert	*				
	ladder	opt	opt	opt	opt	
	paint - chine up & inside (coloured sides opt)	110000	1			
	pinstriping				17403	
	rod holders x 4				(4)	
	rounded foredeck		× 1	100	(*)	
	side pockets				0.00	
	ski hooks x 2	-	-			
	spray chines					
	steering - hydraulic	opt	opt	opt		
	steering - push pull				-	
	towing eye - double			-	100	
	transducer bracket					
	wide side decks			Net	000	
	TRANSOM					
П	ultimate edge (I/s)		10	1000		
	ultimate edge (ul/s)	-	ne i	opt	100	
	FUEL TANK			1000		
Ε	under floor / deck fill / gauge	65	85	105	140	Г
	RAILS					-
	bow - low profile / nav light plates				10.00	
	console screen					
	rear & transom					
	SEATS					
	folding rear lounge	opt	opt	opt	23	
	folding rear lounge (%)		-		opt	
	part upholstered folding	2	2	2	2	
	seat sockets	4	4	4	4	



5.4m

4.85

3.0

2.0

2.15

1.15

1.35

13

385

60

180

5.0

3.0

2.24

1.21

1.41

13

470

75

100

195

5.2 5.67

5.4

2.0

2.44

1.30

1.56

15

550

1.00

135

230



SURE TRAC FEATURES 4.55 4.85 5.35 Platinum Series opt anchor cavity battery rack - under cast deck bungs - 38mm x 2 cast platform - front / hatches x 2 clear metal sealer - under floor console (centre or side) - screen / shelf dry storage in cast deck floor - carpeted plywood flotation - under floor gunwhale rubber insert handles - rear minnkota plate - on bow pinstriping rod holders x 6 side pockets - long spray chines steering - push pull towing eye - double transducer bracket wide side decks to bow TRANSOM motorwell (I/s) FUEL TANK under floor / deck fill / gauge RAILS bow - nav light plates console screen SEATS part upholstered pedestal seat sockets

TROPIC MODELS

IN TROPIC

The Tropic may be standard as a centre or side console, whichever meets your preference. The console is fitted to the rear to give room for those heavy eskys or your camping gear. Other features of this model are very practical for the angler. This model features a reverse chine and is standard as unpainted however may be painted as an option.

	шш	كلتلة	
SPECIFICATIONS	4.55	4.85	5.35
bottoms (mm)	3.0	3.0	3.0
sides (mm)	2.0	2.0	2.0
beam (m)	2.05	2.14	2.20
depth (m)	1.08	1.09	1.10
depth - incl. console rail (m)	1.44	1.45	1.60
floor ribs	11	13	14
no, of persons	5	5	6
weight approx (kg)	353	377	434
rec hp	60	60	80
max hp	60	60	80
max motor weight (kg)	120	120	180

5.35m

HONDA

4.85m

TROPIC II



L			
	FEATURES	4.2	4.4
	bungs - 38mm x 2		
ı	clear metal sealer - under floor		
L	dash & control panel		
ı	floor - carpeted plywood		
	flotation - under floor		
ı	gunwhale rubber insert		
	handles - front & rear		
	rear corner gussets		
	rope cleat		
	rope shelf		
	spray chines		
	step down front floor		
	steering - push pull		
	tank rack		
	towing eye - double		
	transducer bracket		
	windscreen - opening		
	TRANSOM		
	standard (I/s)		7.
	RAILS		_
	windscreen		_
	SEATS	_	_
Г	rear welded thwart - coolite fitted		-
	standard plastic swivel	2	2
	seat sockets	2	3
		~	9

4.2m

SEEKER MODELS

4.4m

The Seeker being the entry level to the Runabout range is available standard as unpainted, however painting is always an option. A carpeted floor forward of the rear thwart seat allows for easy movement around the craft. Pedestal seating is available for the driver and passenger to give added comfort in this Runabout. This model is available in two model lengths.

SPECIFICATIONS 4.2 bottoms (mm) 2.0 2.0 sides (mm) 1.6 1.6 beam (m) 1.95 1.97 depth (m) 1.00 1.00 depth - incl. w/screen rail (m) 1.49 1.49 floor ribs 9 10 no. of persons weight approx (kg) 193 222 rec hp 30 max hp 40 max motor weight (kg) 95 110

RUNABOUT CLASSIC

SURE TRAC FEATURES 4.55 Plattnum Series accessory pre rig opt anchorwell battery & oil rack - in stern bollard x 1 bollards x 3 bow sprit & roller bungs - 38mm x 2 cut away dash dashboard glovebox floor - carpeted plywood flotation - under floor gunwhale rubber insert. handles - rear paint - chine up & inside / (coloured sides opt) pinstriping rod holders x 2 rope shelf side pockets spray chines steering - hydraulic opt steering - push pull step down front floor towing eye - double transducer bracket wide side decks windscreen - opening TRANSOM motorwell (I/s) ultimate edge (I/s) **FUEL TANK** under floor / deck fill / gauge 65 65 bow - low profile / nav light plates transom windscreen SEATS folding rear lounge opt opt full upholstered pedestal opt part uphoistered pedestal seat sockets

42 cla


CLASSIC MODELS


The Classic range of runabouts offers three models each with similar features, from the 4.2 and 4.4 fitted with a motorwell to the 4.55 which is complete with the Ultimate Edge transom and boarding platform. The Classic is an ideal runabout that gives comfortable boating for the family day out whether it be fishing or cruising the waterways.


SURE TRAC					
SPECIFICATIONS	4.2	4.4	4.55		
bottoms (mm)	2.0	2.0	3.0		
sides (mm)	1.6	16	2.0		
beam (m)	1.95	1.97	2.10		
depth (m)	1.00	1.00	1.10		
depth - incl. w/screen rail	(m) 1.53	1.53	1.52		
floor ribs	9	10	12		
no. of persons	4	4	5		
weight approx (kg)	254	312	355		
rec hp	40	40	50		
max hp	40	50	60		
max motor weight (kg)	110	110	120		
overall length (m)	4.2	4.55	4.7		




YAMAHA










Platinum Series opt opt op	4 5.E	6.1
accessory pre rig anchorwell battery & oil rack - in stern boliards x 3 bow sprit & roller bungs - 38mm x 2 consoles (side) x 2 - fibreglass dash / glovebox dive door drink holders x 2 drop in dash between consoles floor - carpeted plywood floation - under floor front cast platform - storage underneath gunwhale rubber insert ladder paint - chine up & inside (coloured sides opt) pinstriping pocket nets rod holders x 2 rounded foredeck side pockets ski hooks x 2 spray chines steering - hydraulic steering - push pull step down front floor storage hatch - in floor between seats	5000 10070	
anchorwell battery & oil rack - in stern bollards x 3 bow sprit & roller bungs - 38mm x 2 consoles (side) x 2 - fibreglass dash / glovebox dive door drink holders x 2 drop in dash between consoles floor - carpeted plywood flotation - under floor front cast platform - storage underneath gunwhale rubber insert ladder paint - chine up & inside (coloured sides opt) pinstriping pocket nets rod holders x 2 rounded foredeck side pockets ski hooks x 2 spray chines steering - hydraulic steering - push pull step down front floor storage hatch - in floor between seats	pt opp	t opt
battery & oil rack - in stern bollards x 3 bow sprit & roller bungs - 38mm x 2 consoles (side) x 2 - fibreglass dash / glovebox dive door drink holders x 2 drop in dash between consoles floor - carpeted plywood flotation - under floor front cast platform - storage underneath gunwhale rubber insert ladder paint - chine up & inside (coloured sides opt) pinstriping pocket nets rod holders x 2 rounded foredeck side pockets ski hooks x 2 spray chines steering - hydraulic steering - push pull step down front floor storage hatch - in floor between seats		
bollards x 3 bow sprit & roller bungs - 38mm x 2 consoles (side) x 2 - fibreglass dash / glovebox dive door drink holders x 2 drop in dash between consoles floor - carpeted plywood flotation - under floor front cast platform - storage underneath gunwhale rubber insert ladder paint - chine up & inside (coloured sides opt) pinstriping pocket nets rod holders x 2 rounded foredeck side pockets ski hooks x 2 spray chines steering - hydraulic steering - push pull step down front floor storage hatch - in floor between seats		
bow sprit & roller bungs - 38mm x 2 consoles (side) x 2 - fibreglass dash / glovebox dive door drink holders x 2 drop in dash between consoles floor - carpeted plywood flotation - under floor front cast platform - storage underneath gunwhale rubber insert ladder paint - chine up & inside (coloured sides opt) pinstriping pocket nets rod holders x 2 rounded foredeck side pockets ski hooks x 2 spray chines steering - hydraulic steering - push pull step down front floor storage hatch - in floor between seats		
bungs - 38mm x 2 consoles (side) x 2 - fibreglass dash / glovebox dive door drink holders x 2 drop in dash between consoles floor - carpeted plywood flotation - under floor front cast platform - storage underneath gunwhale rubber insert ladder paint - chine up & inside (coloured sides opt) pinstriping pocket nets rod holders x 2 rounded foredeck side pockets ski hooks x 2 spray chines steering - hydraulic steering - push pull step down front floor storage hatch - in floor between seats		
consoles (side) x 2 - fibreglass dash / glovebox dive door drink holders x 2 drop in dash between consoles floor - carpeted plywood flotation - under floor front cast platform - storage underneath gunwhale rubber insert ladder paint - chine up & inside (coloured sides opt) pinstriping pocket nets rod holders x 2 rounded foredeck side pockets ski hooks x 2 spray chines steering - hydraulic steering - push pull step down front floor storage hatch - in floor between seats		
dive door drink holders x 2 drop in dash between consoles floor - carpeted plywood flotation - under floor front cast platform - storage underneath gunwhale rubber insert ladder paint - chine up & inside (coloured sides opt) pinstriping pocket nets rod holders x 2 rounded foredeck side pockets ski hooks x 2 spray chines steering - hydraulic steering - push pull step down front floor storage hatch - in floor between seats		
drink holders x 2 drop in dash between consoles floor - carpeted plywood flotation - under floor front cast platform - storage underneath gunwhale rubber insert ladder paint - chine up & inside (coloured sides opt) pinstriping pocket nets rod holders x 2 rounded foredeck side pockets ski hooks x 2 spray chines steering - hydraulic steering - push pull step down front floor storage hatch - in floor between seats		
drop in dash between consoles floor - carpeted plywood flotation - under floor front cast platform - storage underneath gunwhale rubber insert ladder paint - chine up & inside (coloured sides opt) pinstriping pocket nets rod holders x 2 rounded foredeck side pockets ski hooks x 2 spray chines steering - hydraulic steering - push pull step down front floor storage hatch - in floor between seats		
floor - carpeted plywood flotation - under floor front cast platform - storage underneath gunwhale rubber insert ladder paint - chine up & inside (coloured sides opt) pinstriping pocket nets rod holders x 2 rounded foredeck side pockets ski hooks x 2 spray chines steering - hydraulic steering - push pull step down front floor storage hatch - in floor between seats		
floor - carpeted plywood flotation - under floor front cast platform - storage underneath gunwhale rubber insert ladder paint - chine up & inside (coloured sides opt) pinstriping pocket nets rod holders x 2 rounded foredeck side pockets ski hooks x 2 spray chines steering - hydraulic steering - push pull step down front floor storage hatch - in floor between seats		
front cast platform - storage underneath gunwhale rubber insert ladder paint - chine up & inside (coloured sides opt) pinstriping pocket nets rod holders x 2 rounded foredeck side pockets ski hooks x 2 spray chines steering - hydraulic steering - push pull step down front floor storage hatch - in floor between seats		1000
gunwhale rubber insert ladder paint - chine up & inside (coloured sides opt) pinstriping pocket nets rod holders x 2 rounded foredeck side pockets ski hooks x 2 spray chines steering - hydraulic steering - push pull step down front floor storage hatch - in floor between seats	5.00	
gunwhale rubber insert ladder paint - chine up & inside (coloured sides opt) pinstriping pocket nets rod holders x 2 rounded foredeck side pockets ski hooks x 2 spray chines steering - hydraulic steering - push pull step down front floor storage hatch - in floor between seats		1000
paint - chine up & inside (coloured sides opt) pinstriping pocket nets rod holders x 2 rounded foredeck side pockets ski hooks x 2 spray chines steering - hydraulic steering - push pull step down front floor storage hatch - in floor between seats		
paint - chine up & inside (coloured sides opt) pinstriping pocket nets rod holders x 2 rounded foredeck side pockets ski hooks x 2 spray chines steering - hydraulic steering - push pull step down front floor storage hatch - in floor between seats	ot opt	opt
pinstriping pocket nets rod holders x 2 rounded foredeck side pockets ski hooks x 2 spray chines steering - hydraulic steering - push pull step down front floor storage hatch - in floor between seats		
rod holders x 2 rounded foredeck side pockets ski hooks x 2 spray chines steering - hydraulic steering - push pull step down front floor storage hatch - in floor between seats		
rounded foredeck side pockets ski hooks x 2 spray chines steering - hydraulic steering - push pull step down front floor storage hatch - in floor between seats		100
side pockets ski hooks x 2 spray chines steering - hydraulic steering - push pull step down front floor storage hatch - in floor between seats		
side pockets ski hooks x 2 spray chines steering - hydraulic steering - push pull step down front floor storage hatch - in floor between seats	100	1751
spray chines steering - hydraulic steering - push pull step down front floor storage hatch - in floor between seats	1000	169
spray chines steering - hydraulic opt opt steering - push pull step down front floor storage hatch - in floor between seats	C 10	740
steering - push pull step down front floor storage hatch - In floor between seats	5 500	100
steering - push pull step down front floor storage hatch - in floor between seats		
storage hatch - in floor between seats		
	-	
towing eye - double	300	
transducer bracket	3	
wide side decks		
windscreen - walk thru	100	
TRANSOM		-
ultimate edge (I/s)		
ultimate edge (ul/s) - opt •		
FUEL TANK		
under floor / deck fill / gauge 80 100 14	0 160	220
RAILS	200	LLU
bow - low profile / nav light plates • • •		
rear & transom		
windscreen		
SEATS		
bow cushions with back rest opt opt opt	t opt	opt
driver slide pedestal	opt	opt
folding rear lounge opt opt -		
folding rear lounge (%)	t ont	ant
full uphoistered pedestal 2 2 2	115511	opt 2
	4	the







	SU	RE 1	RAC	
FEATURES	5.0	5.4	5.8	6.1
Platinum Series	opt	opt	opt	opt
accessory pre rig	opt	opt	opt	opt
anchorwell				
battery & oil rack - in stern	1000	(0)		
bait board	opt	opt	opt	opt
bait tank	got	opt	opt	opt
bollards x 3		100		
bow sprit & roller				
bungs - 38mm x 2	(65)			
dive door	-			-
drink holders x 4	1800			- 3
floor - carpeted plywood	500			
flotation - under floor	20			8
front opening hatch	2.60	70		
gunwhale rubber insert	100	76		
ladder	opt	opt	opt	opt
paint - chine up & inside (coloured sides opt)	Opt	Opt	000	ope
pinstriping	1			
rear instrument cover	-			
rod holders x 2	1			
side pockets	33		18	1 88
ski hooks x 2		- 30	- 8	1 30
spray chines	1,88		1 1/2	1023
steering - hydraulic	opt			150
steering - push pull	Opt			
towing eye - double				
transducer bracket				
wide side decks				
TRANSOM				No.
ultimate edge (I/s)				-
ultimate edge (ul/s)	and the same	40	7	羡
CABIN	opt			IIIadi
bunks- carpeted / storage underneath				
cabin lining				53
moulded instrument & steering panel				
nav lights - wires under cabin lining				
windscreen			10.00	
FUEL TANK			No.	partie.
under floor / deck fill / gauge	100	2.40	400	000
RAILS	100	140	160	220
bow - split				_
cabin		124	8.3	1
rear & transom	2	10.53	353	100
windscreen		-10	30	
SEATS		11.5		
bunks with cushions				
driver slide pedestal	opt	opt	opt	opt
folding rear lounge	2350	100		
folding rear lounge (%)	ODE		33	-
full upholstered pedestal		opt	opt	opt
ull upholstored cents as	2	2	2	2
full uphoistered seats on storage & seat box	opt	opt	opt	opt

OPTIONS & ACCESSORIES










































































NOT ALL ACCESSORIES AND OPTIONS AVAILABLE ARE SHOWN, PLEASE REFER TO YOUR DEALER FOR THE FULL EXTENSIVE RANGE

COLOURS & DIMENSIONS

GO TO OUR WEBSITE TO CHOOSE YOUR OWN COLOUR COMBINATIONS

NOTE: COLOURS SHOWN ARE APPROXIMATE

STANDARD PINSTRIPE - CHOICE OF TWO COLOURS

COLOUR 1 COLOUR 2

DELUXE PINSTRIPE - CHOICE OF THREE COLOURS



PINSTRIPE COLOURS



UPHOLSTERY COLOUR - QUICK SILVER GREY PLUS ONE COLOUR

















Choosing a trailer is an important step. Your craft may be damaged by an incorrect fitting or sizing of a trailer. Therefore we offer this select range of trailers which are well suited to our boats.





SUBMERSIBLE LIGHTING SELF CENTERING POLY SLIDERS GALVANIZED WHEELS NHEEF,

MIND UP

WEIGHTS VARY, PLEASE ASK YOUR LOCAL DEALER FOR AN ACCURATE TOTAL GVM PRIOR TO ORDERING

Normal 3.2 / 3.5 Cl.3.7m - 10.1 92.09 10" std std long no 650kg Swift 4.1 Cl.4.2m - 131 92.84 1.3" std std long no 650kg Swift 4.4 Cl.4.4m - 13 92.85 1.3" std std long no 650kg Swift 4.4 Cl.4.2m - 131 92.84 1.3" std std long no 650kg Swift 4.4 Cl.4.4m - 13 92.85 1.3" std std long no 750kg Solkg Discovery 4.1 Cl.4.2m - 131 92.85 1.3" std std long no 750kg Discovery 4.1 Cl.4.2m - 131 92.85 1.3" std std long no 750kg Discovery 9.0rts 4.4 Cl.4.4m - 13 92.85 1.3" std std long no 750kg Swift 4.4 Cl.4.4m - 13 92.85 1.3" std std long no 750kg Discovery 9.0rts 4.4 Cl.4.4m - 13 92.85 1.3" std std long no 750kg Swift 4.55 Cl.4.7m - 138 92.33 1.3" std std long no 750kg Viper 4.85 Cl.4.7m - 138 92.33 1.3" std std long no 750kg Swift 4.55 Cl.3.7m - 101 92.90 10" std std long no 650kg Russian 1.5 Albert 4.7m - 134 92.84 1.3" std std long no 650kg Russian 1.4 Swift 4.4										
Nomad 3.7 / 4.1	Ī	BOAT	TRAILER	P/N		A CONTRACTOR OF THE PARTY OF TH			BRAKES	GVM
Nomad 4.4	Т	Nomad 3.2 / 3.5	CL3.7m - 10L	9209	10"	std	std	long	no	650kg
Swift 4.1 Swift 4.4 CI.4.4m - 1.31 Syz84 Discovery 4.4 CI.4.4m - 1.3 Syz85 Li3" std std long no 750kg Discovery 9.4.4 CI.4.4m - 1.3 Syz85 Li3" std std long no 750kg Discovery 9.4.4 CI.4.4m - 1.3 Syz85 Li3" std std long no 750kg no 750kg Discovery 5ports 4.6 CI.4.4m - 1.3 Syz85 Li3" std std long no 750kg 144" 14		Nomad 3.7 / 4.1	CL4.2m - 13L	9284	13"	std	std	long	no	650kg
Swift 4.4 Discovery 4.1. CI.4.2m-131 Discovery 4.4. CI.4.4m-133 Discovery 5ports 4.4 CI.4.4m-133 Discovery Sports 4.4 CI.4.4m-133 Discovery Sports 4.4 CI.4.4m-133 Discovery Sports 4.5 CI.4.7m-138 Discovery Sports 4.65 CI.4.7m-138 D		Nomad 4.4	CL4.4m - 13	9285	13"	std	std	long	no	750kg
Discovery 4.1. Discovery 9.4.4. CL4.4m-13 9.285 13" std std long no 750kg Discovery Sports 4.4 CL4.4m-13 9.285 13" std std long no 750kg Discovery Sports 4.5 CL4.7m-138 9.233 13" std std long no 750kg Viper 4.65 CL4.7m-138 9.233 13" std std long no 650kg Punt 3.0 / 3.4 CL3.7m-10L 9.209 10" std std long no 650kg Punt 3.7 CL4.2m-13L 9.284 13" std std long no 650kg Angler 3.75 / 3.95 CL4.7m-13B 9.283 13" std std long no 650kg Punt 3.7 CL4.2m-13L 9.284 13" std std long no 650kg Angler 3.75 / 3.95 CL4.7m-13L 9.284 13" std std long no 650kg Magnum 4.4 / 4.55 CL4.4m-13 9.285 1.3" std std long no 650kg Magnum 4.85 CL4.7m-13 9.285 1.3" std std long no 650kg Magnum 4.85 CL5.3m-14B 9.219 1.4" std std long no 750kg Magnum 5.35 CL5.3m-14B 9.219 1.4" std std long no 750kg Magnum 6.0 CL5.7m 148(HD) 9.223 1.4" std std long no 750kg Castaway 4.4 / 4.55 CL4.4m-13 9.285 1.3" std std long no 750kg Magnum 6.0 CL5.7m 148(HD) 9.223 1.4" std std long no 750kg Castaway 4.4 / 4.55 CL4.4m-13 9.285 1.3" std std long no 750kg Castaway 4.4 / 4.55 CL4.4m-13 9.285 1.3" std std long no 750kg Castaway 4.4 / 4.55 CL4.4m-13 9.285 1.3" std std long no 750kg Castaway 4.4 / 4.55 CL4.4m-13 9.285 1.3" std std long no 750kg Castaway 4.4 / 4.55 CL4.4m-13 9.285 1.3" std std long no 750kg Castaway 4.4 / 4.55 CL4.4m-13 9.285 1.3" std std long no 750kg Castaway 4.4 / 4.55 CL4.4m-13 9.285 1.3" std std long no 750kg Castaway 4.4 / 4.55 CL4.4m-13 9.285 1.3" std std long no 750kg Castaway 4.4 / 4.55 CL4.4m-13 9.285 1.3" std std long no 750kg Castaway 4.4 / 4.55 CL4.4m-13 9.285 1.3" std std long no 750kg Castaway 4.4 / 4.55 CL4.4m-13 9.285 1.3" std std long no 750kg Castaway 4.4 / 4.55 CL4.4m-13 9.285 1.3" std std long no 750kg Territory 4.2 CL4.2m-13L 9.284 1.3" std std long no 750kg Territory 4.5 CL4.4		Swift 4.1	CL4.2m - 13L	9284	1.3"	std	std	long	no	650kg
Discovery 9.4.4 CL4.4m - 13 9285 13" std std long no 750kg Discovery Sports 4.45 CL4.4m - 138 9283 13" std std long no 750kg Viper 4.65 CL4.7m - 138 9233 13" std std long yes 1000kg Viper 4.65 CL4.7m - 138 9233 13" std std long yes 1000kg Punt 3.0 / 3.4 CL3.7m - 10.1 9209 10" std std long no 650kg Punt 3.7 CL4.2m - 131 9284 13" std std long no 650kg Angler 3.15 / 3.55 CL3.7m - 10.1 9209 10" std std long no 650kg Angler 3.75 / 3.95 CL4.2m - 131 9284 13" std std long no 650kg Magnum 4.2 CL4.2m - 131 9284 13" std std long no 650kg Magnum 4.2 CL4.2m - 131 9284 13" std std long no 650kg Magnum 4.85 CL4.7m - 13 9285 13" std std long no 750kg Magnum 5.35 CL5.3m - 148 9219 14" std std long no 750kg Magnum 5.35 CL5.7m - 148 9219 14" std std long no 750kg Castaway 4.2 CL5.7m - 148(HI) 9223 14" std std long no 750kg Castaway 4.4 / 4.55 CL4.4m - 13 9285 13" std std long no 650kg Castaway 4.4 / 4.55 CL4.4m - 13 9285 13" std std long no 650kg Castaway 4.4 / 4.55 CL4.4m - 13 9285 13" std std long no 650kg Castaway 4.4 / 4.55 CL4.4m - 13 9285 13" std std long no 650kg Castaway 4.4 / 4.55 CL4.4m - 13 9285 13" std std long no 650kg Escape 4.2 CL2.2m - 131 9284 13" std std long no 650kg SP 4.2 CL4.2m - 13 9285 13" std std long no 750kg Fs 4.2 CL4.2m - 13 9285 13" std std long no 650kg SP 4.4 / 4.55 CL4.4m - 13 9285 13" std std long no 650kg SP 4.4 / 4.55 CL4.4m - 13 9285 13" std std long no 650kg SP 4.4 / 4.55 CL4.4m - 13 9285 13" std std long no 650kg SP 4.4 / 4.55 CL4.4m - 13 9285 13" std std long no 650kg SP 4.4 / 4.55 CL4.4m - 13 9285 13" std std long no 750kg Territory 4.85 CL4.7m - 138 9233 13" std std long no 750kg Territory 4.85 CL4.7m - 138 9233 13" std std long no 750kg Territory 4.85 CL4.7m - 138 9233 13" std std long no 750kg Territory 4.85 CL4.7m - 138 9233 13" std std long no 650kg Territory 4.85 CL4.7m - 138 9233 13" std std long no 750kg Secker/Classic 4.2 CL4.2m - 131 9285 13" std std long yes 1000kg Territory 4.85 CL4.7m - 138 9233 13" std std long yes 1000kg Secker/Classic 4.2 CL4.7m - 138 9233 13" std std long		Swift 4.4	CL4.4m - 13	9285	13"	std	std	long	no	750kg
Discovery Sports 4.4		Discovery 4.1	CL4.2m-13L	9284	13"	std	std	long	no	750kg
Discovery Sports 4.65		Discovery 4.4	CL4.4m - 13	9285	13"	std	std	long	no	750kg
Viper 4.65		Discovery Sports 4.4	CL4.4m - 13	9285	13"	std	std	long	no	750kg
Punt 3.0 / 3.4		Discovery Sports 4.65	CL4.7m - 13B	9233	13"	std	std	long	yes	1000kg
Punt 3.7		Viper 4.65	CL4.7m - 13B	9233	13"	std	std	long	yes	1000kg
Angler 3.15 / 3.55		Punt 3.0 / 3.4	CL3.7m - 10L	9209	10"	std	std	long	no	650kg
Angler 3.75 / 3.95		Punt 3.7	CL4.2m - 13L	9284	13"	std	std	long	no	650kg
Magnum 4.2 CL4.2m - 1.3L 9284 13" std std long no 650kg Magnum 4.85 CL4.7m - 13 9286 13" std std long no 750kg Magnum 5.35 CL5.7m - 14B(HD) 9223 14" std std long yes 1400kg Magnum 6.0 CL5.7m - 14B(HD) 9223 14" std std long yes 1400kg Castaway 4.4 / 4.55 CL4.4m - 13 9284 13" std std long no 650kg Escape 4.2 CL4.2m - 13L 9284 13" std std long no 650kg SP 4.2 CL4.2m - 13L 9284 13" std std long no 750kg SP 4.4 / 4.55 CL4.2m - 13L 9284 13" std std long no 750kg Territory 4.2 / 4.55 CL4.2m - 13L 9284 13" std std long no		Angler 3.15 / 3.55	CL3.7m - 10L	9209	10"	std	std	long	no	650kg
Magnum 4.2 CL4.2m - 1.3L 9284 13" std std long no 650kg Magnum 4.85 CL4.7m - 13 9286 13" std std long no 750kg Magnum 5.35 CL5.7m - 14B(HD) 9223 14" std std long yes 1400kg Magnum 6.0 CL5.7m - 14B(HD) 9223 14" std std long yes 1400kg Castaway 4.4 / 4.55 CL4.4m - 13 9284 13" std std long no 650kg Escape 4.2 CL4.2m - 13L 9284 13" std std long no 650kg SP 4.2 CL4.2m - 13L 9284 13" std std long no 750kg SP 4.4 / 4.55 CL4.2m - 13L 9284 13" std std long no 750kg Territory 4.2 / 4.55 CL4.2m - 13L 9284 13" std std long no		Angler 3.75 / 3.95	CL4.2m - 13L	9284	13"	std	std	long	no	650kg
Magnum 4.4 / 4.55 CL4.4m-13 9285 1.3" std std long no 750kg Magnum 5.35 CL5.3m-14B 9219 14" std std long yes 1400kg Magnum 6.0 CL5.7m 14B(HD) 9223 14" std std long yes 1400kg Castaway 4.4 / 4.55 CL4.2m-131 9284 13" std std long no 650kg Escape 4.2 CL4.2m-131 9285 13" std std long no 650kg Eye 4.4 / 4.55 CL4.4m-13 9285 13" std std long no 650kg Escape 4.9 2.2 CL4.2m-131 9285 13" std std long no 750kg Ferritory 4.9 2.2 CL4.2m-131 9284 13" std std long no 650kg Territory 4.9 4.5 CL4.7m-138 9283 13" std std <td></td> <td></td> <td>CL4.2m - 13L</td> <td>9284</td> <td>13"</td> <td>std</td> <td>std</td> <td></td> <td>no</td> <td>650kg</td>			CL4.2m - 13L	9284	13"	std	std		no	650kg
Magnum 4.85 CL4.7M-13 9286 13" std std long no 750kg Magnum 5.35 CL5.7m 14BH 9219 14" std std std long yes 1400kg Castaway 4.2 CL4.2m -13L 9284 13" std std long no 650kg Castaway 4.4 / 4.55 CL4.4m -13 9285 13" std std long no 650kg Escape 4.4 / 4.55 CL4.4m -13 9285 13" std std long no 650kg SP 4.2 CL4.2m -13L 9284 13" std std long no 650kg SP 4.4 / 4.55 CL4.7m -13 9285 13" std std long no 750kg SP 4.2 CL4.2m -13L 9284 13" std std long no 750kg Territory 4.8 / 4.55 CL4.4m -13 9285 13" std std long no		to the second se	CL4.4m - 13	9285	13"	std	std	0.00	00	750kg
Magnum 5.35 CL5.3m - 14B 92.19 14" std std long yes 1400 kg Magnum 6.0 CL5.7m 14B(HD) 9223 14" std std std long yes 1400 kg Castaway 4.2 CL4.2m - 13L 9284 13" std std long no 650 kg Escape 4.2 CL4.2m - 13L 9284 13" std std long no 650 kg Escape 4.4 / 4.55 CL4.4m - 13 9285 13" std std long no 750 kg Escape 4.4 / 4.55 CL4.4m - 13 9285 13" std std long no 750 kg Ferritory 4.2 CL4.2m - 13L 9284 13" std std long no 750 kg Territory 4.4.7 4.55 CL4.4m - 13 9285 13" std std std long no 750 kg Territory 4.85 CL4.7m - 13B 9233 13" std <		A STATE OF THE PARTY OF THE PAR		1000000000	- 1000	CONTRACT.	10.00	10.1		
Magnum 6.0 CL5.7m 14B(HD) 9223 14" std std long yes 1400 kg Castaway 4.2 CL4.2m -131 9284 13" std std long no 650kg Escape 4.2 CL4.4m -13 9285 13" std std long no 650kg Escape 4.2 CL4.2m -131 9284 13" std std long no 650kg SP 4.2 CL4.2m -131 9285 13" std std long no 650kg SP 4.2 CL4.2m -131 9285 13" std std long no 650kg SP 4.2 CL4.2m -131 9285 13" std std long no 650kg Territory 4.2 CL4.2m -131 9285 13" std std long no 650kg Territory 4.4 1.55 CL4.4m -13 9285 13" std std long no 650kg Territory 4.4 1.55 CL4.4m -13 9285 13" std std long no 750kg Territory 4.85 CL4.7m -138 9233 13" std std long no 750kg Haven / Sports 4.85 CL4.7m -138 9233 13" std std long no 750kg Haven / Sports 5.0 CL5.5m -138MD 9044 13" std std long yes 1180kg Tropic 5.35 CL5.3m -148 9219 14" std std long yes 2000kg Seeker/Classic 4.2 CL4.7m -138 9233 13" std std long yes 1000kg Tropic 4.85 CL4.7m -138 9233 13" std std long yes 1000kg Tropic 4.85 CL4.7m -138 9233 13" std std long yes 1000kg Haven / Sports 5.0 CL5.5m -138MD 9044 13" std std long yes 1000kg Yes 1000kg Tropic 4.85 CL4.7m -138 9233 13" std std long yes 1000kg Seeker/Classic 4.2 CL4.7m -138 9233 13" std std long yes 1000kg Tropic 4.85 CL4.7m -138 9233 13" std std long yes 1000kg Yes 1000kg Yes Seeker/Classic 4.2 CL4.7m -131 9285 13" std std long yes 1000kg Seeker/Classic 4.4 CL4.7m -13 9285 13" std std long yes 1000kg Seeker/Classic 4.4 CL4.7m -13 9285 13" std std long yes 1000kg Yes 1000kg Yes 1400kg Seeker/Classic 4.5 CL4.7m -138 9233 13" std std long yes 1400kg Caprl 5.4 LWS5.3M-148 9714 14" std std long yes 1400kg Caprl 5.4 LWS5.3M-148 9714 14" std std long yes 1400kg Caprl 5.4 LWS5.3M-148 9714 14" std std long yes 1400kg Wanderer 5.0 CL5.0m -138MD 9044 13" std std long yes 1400kg Wanderer 5.4 LWS5.3M-148 9714 14" std std long yes 1400kg Wanderer 5.6 CL5.0m -138MD 9044 13" std std long yes 1400kg Wanderer 5.6 CL5.0m -138MD 9044 13" std std long yes 1400kg Wanderer 5.6 CL5.0m -138MD 9044 13" std std long yes 1400kg Wanderer 5.6 CL5.0m -138MD 9044 13" std std long yes 1400kg Wan		12 0 T 7 0 11 1 1 1 1 7 7 7 1 1			C 78177	10/12			. 3349	and the second second
Castaway 4.2		Control of Control of Control of				1.75	(3.47)	700000000000000000000000000000000000000	0.000	
Castaway 4.4 / 4.55		The state of the s		1 2 20 1 1 5	10000	1 1 2 2 2 2	18/19	12.70		the state of the s
Escape 4.2 CL4.2m - 13L 9284 13" std std long no 650kg Escape 4.4 / 4.55 CL4.4m - 13 9285 13" std std long no 750kg SP 4.2 CL4.2m - 13L 9284 13" std std long no 650kg SP 4.4 / 4.55 CL4.4m - 13 9285 13" std std long no 650kg Territory 4.2 CL4.2m - 13L 9284 13" std std long no 650kg Territory 4.4 / 4.55 CL4.4m - 13 9285 13" std std long no 650kg Territory 4.85 CL4.7m - 138 9233 13" std std long no 750kg Territory 4.85 CL4.4m - 13 9285 13" std std long no 750kg Haven / Sports 4.55 CL4.4m - 13 9285 13" std std long no 750kg Haven / Sports 4.85 CL4.7m - 138 9233 13" std std long no 750kg Haven / Sports 5.0 CL5.0m - 138MD 9044 13" std std long yes 1000kg Haven / Sports 5.4 LW55.3M-14B 9714 14" std std long yes 1400kg Tropic 4.85 CL4.7m - 138 9233 13" std std long yes 1000kg Tropic 5.35 CL5.3m - 148 9219 14" std std long yes 1000kg Seeker/Classic 4.2 CL4.2m - 13L 9284 13" std std long yes 1400kg Seeker/Classic 4.4 CL4.4m - 13 9285 13" std std long no 750kg Classic/Caprl 4.55 CL4.4m - 13 9285 13" std std long no 750kg Classic/Caprl 4.55 CL4.4m - 13 9285 13" std std long no 750kg Classic/Caprl 4.55 CL4.4m - 13 9285 13" std std long no 750kg Classic/Caprl 4.55 CL4.7m - 13B 9233 13" std std long no 750kg Classic/Caprl 4.55 CL4.4m - 13 9285 13" std std long no 750kg Classic/Caprl 4.55 CL4.4m - 13 9285 13" std std long no 750kg Classic/Caprl 5.6 CL5.0m - 13BMD 9044 13" std std long yes 1000kg Caprl 5.0 CL5.0m - 13BMD 9044 13" std std long yes 1000kg Wanderer 5.8 6.1 LW56.2M-13TB 9711 14" std std long yes 1000kg Wanderer 5.0 CL5.0m - 13BMD 9044 13" std std long yes 1180kg Wanderer 5.4 LW55.3M-14B 9714 14" std std long yes 1180kg Wanderer 5.6 LW55.3M-14B 9714 14" std std long yes 1180kg Wanderer 5.7 LW56.2M-13TB 9721 13" std std long yes 1180kg Wanderer 5.8 6.1 LW56.2M-13TB 9721 13" std std long yes 1180kg Wanderer 5.8 6.1 LW55.3M-14B 9714 14" std std long yes 1180kg Wanderer 5.8 6.1 LW55.3M-14B 9714 14" std std long yes 1180kg								1000		
Escape 4.4 / 4.55				T-2 1-10		7,71		1111		100 1-01
SP 4.2			THE PERSON NAMED IN TAXABLE PARTY.	11125 215123			-	100		11000
SP 4.4 / 4.55		TI DATE OF THE PROPERTY OF THE PARTY OF THE						1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		0.000
Territory 4.2			2007 2007 100 - 1007 100 1	A STATE OF THE PARTY OF THE PAR			200		100	170000000000000000000000000000000000000
Territory 4.4 / 4.55			22-21012000 12000	Control of the Control		7.51	7.7 (1.5)	10000	0007	
Territory 4.85						100		-		-1170-111
Haven / Sports 4.55			2011012			11.777	1317	114		
Haven / Sports 4.85		Charles Control of the Control of th		28371717		2000	-	The state of		
Haven / Sports 5.0		\$200 (April 1985) First District Control of the C			1000	58461	3.77		1000	Vel. (6.1 (6.74), (6.1)
Haven / Sports 5.4				75 (10)		9900		11 11 11 11 11 11		
Haven 5.8 / 6.1 LWS6.2M-13TB 9721 13" std std long yes 2000kg Tropic 4.85 CL4.7m - 13B 9233 13" std std long yes 1000kg Tropic 5.35 CL5.3m · 14B 9219 14" std std long yes 1400kg Seeker/Classic 4.2 CL4.2m · 13L 9284 13" std std long no 650kg Seeker/Classic 4.4 CL4.4m · 13 9285 13" std std long no 750kg Classic/Caprl 4.55 CL4.4m · 13 9285 13" std std long no 750kg Classic/Caprl 4.85 CL4.7m · 13B 9233 13" std std long yes 1000kg Caprl 5.0 CL5.0m · 13BMD 9044 13" std std long yes 1180kg Caprl 5.8 / 6.1 LWS5.3M-14B 9714 14" std std long yes 2000kg Wanderer 4.85 CL4.7m · 13B 9233 13" std std long yes 1400kg Wanderer 5.0 CL5.0m · 13BMD 9044 13" std std long yes 1000kg Wanderer 5.4 LWS5.3M-14B 9714 14" std std long yes 1000kg Wanderer 5.6 CL5.0m · 13BMD 9044 13" std std long yes 1000kg Wanderer 5.8 / 6.1 LWS5.3M-14B 9714 14" std std long yes 1400kg Wanderer 5.8 / 6.1 LWS5.3M-14B 9714 14" std std long yes 1400kg Wanderer 5.8 / 6.1 LWS5.3M-14B 9714 14" std std long yes 11B0kg Wanderer 5.8 / 6.1 LWS5.3M-14B 9714 14" std std long yes 11B0kg Wanderer 5.8 / 6.1 LWS5.3M-14B 9714 14" std std long yes 11B0kg Wanderer 5.8 / 6.1 LWS5.3M-14B 9714 14" std std long yes 11B0kg Wanderer 5.8 / 6.1 LWS5.3M-14B 9714 14" std std long yes 11B0kg Wenture Cab 5.0 CL5.0m - 13BMD 9044 13" std std long yes 11B0kg Venture Cab 5.4 LWS5.3M-14B 9714 14" std std long yes 11B0kg		A STATE OF THE PARTY OF THE PAR								
Tropic 4.85								_		
Tropic 5.35					77.77					
Seeker/Classic 4.2 CL4.2m - 13L 9284 13" std std long no 650kg Seeker/Classic 4.4 CL4.4m - 13 9285 13" std std long no 750kg Classic/Caprl 4.55 CL4.4m - 13 9285 13" std std long no 750kg Classic/Caprl 4.85 CL4.7m - 138 9233 13" std std long yes 1000kg Caprl 5.0 CL5.0m - 13BMD 9044 13" std std long yes 1400kg Caprl 5.4 LWS5.3M-14B 9714 14" std std long yes 2000kg Wanderer 4.85 CL4.7m - 13B 9233 13" std std long yes 1000kg Wanderer 5.0 CL5.0m - 13BMD 9044 13" std std long yes 1400kg Wanderer 5.8 / 6.1 LWS6.2M-13TB 9721 13" std std long		- The State of the		WAS TURNED		2500	10.00	1. 1011 -1	1000	5 S S S S S S S S S S S S S S S S S S S
Seeker/Classic 4.4 Ct.4.4m - 13 9285 13" std std long no 750kg Classic/Caprl 4.55 Ct.4.4m - 13 9285 1.3" std std long no 750kg Classic/Caprl 4.85 Ct.4.7m - 138 9233 1.3" std std long yes 100kg Caprl 5.0 Ct.5.0m - 138MD 9044 1.3" std std long yes 1180kg Caprl 5.4 LWS5.3M-14B 9714 1.4" std std long yes 1400kg Wanderer 4.85 Ct.4.7m - 13B 9233 1.3" std std long yes 1000kg Wanderer 5.0 Ct.5.0m - 138MD 9044 1.3" std std long yes 1400kg Wanderer 5.4 LWS5.3M-14B 9714 1.4" std std long yes 1400kg Venture Cab 5.0 Ct.5.0m - 138MD 9044 1.3" std std lo		The state of the s			11272	(3) (3) (3)	1000		1000	100000000000000000000000000000000000000
Classic/Capil 4.55						2/22				100000000000000000000000000000000000000
Classic/Capri 4.85				1.5 at land a second		0.0000		0.000.024.75.00		
Capri 5.0 CL5.0m - 13BMD 9044 13" std std long yes 1180kg Capri 5.4 LWS5.3M-14B 9714 14" std std long yes 1400kg Capri 5.8 / 6.1 LWS6.2M-13TB 9721 13" std std long yes 2000kg Wanderer 4.85 CL4.7m - 13B 9233 13" std std long yes 1000kg Wanderer 5.0 CL5.0m - 13BMD 9044 13" std std long yes 1180kg Wanderer 5.4 LWS5.3M-14B 9714 14" std std long yes 1400kg Wanderer 5.8 / 6.1 LWS6.2M-13TB 9721 13" std std long yes 2000kg Venture Cab 5.0 CL5.0m - 13BMD 9044 13" std std long yes 1180kg Yenture Cab 5.4 LWS5.3M-14B 9714 14" std std long yes 1180kg Yenture Cab 5.4 LWS5.3M-14B 9714 14" std std long yes 1180kg		A STATE OF THE PARTY OF THE PAR						-		
Capri 5.4 LWS5.3M-14B 9714 14" std std long yes 1400kg Capri 5.8 / 6.1 LWS6.2M-13TB 9721 13" std std long yes 2000kg Wanderer 4.85 CL4.7m - 13B 9233 13" std std long yes 1000kg Wanderer 5.0 CL5.0m - 13BMD 9044 13" std std long yes 1180kg Wanderer 5.4 LWS5.3M-14B 9714 14" std std long yes 1400kg Wanderer 5.8 / 6.1 LWS6.2M-13TB 9721 13" std std long yes 2000kg Venture Cab 5.0 CL5.0m - 13BMD 9044 13" std std long yes 1180kg Venture Cab 5.4 LWS5.3M-14B 9714 14" std std long yes 1180kg		The factor of th							1 10 10 10 10 10 10 10 10 10 10 10 10 10	Control of the contro
Caprl 5.8 / 6.1 LWS6.2M-13TB 9721 13" std std long yes 2000kg Wanderer 4.85 CL4.7m - 13B 9233 13" std std long yes 1000kg Wanderer 5.0 CL5.0m - 13BMD 9044 13" std std long yes 1180kg Wanderer 5.4 LWS5.3M-14B 9714 14" std std long yes 1400kg Wanderer 5.8 / 6.1 LWS6.2M-13TB 9721 13" std std long yes 2000kg Venture Cab 5.0 CL5.0m - 13BMD 9044 13" std std long yes 1180kg Venture Cab 5.4 LWS5.3M-14B 9714 14" std std long yes 1180kg		(C.	Feet Control of the C	755	200000	T40773	17000			CONTRACTOR OF THE PARTY OF THE
Wanderer 4.85 CL4.7m - 13B 9233 13" std std long yes 1000kg Wanderer 5.0 CL5.0m - 13BMD 9044 13" std std long yes 1180kg Wanderer 5.4 LWS5.3M-14B 9714 14" std std long yes 1400kg Wanderer 5.8 / 6.1 LWS6.2M-13TB 9721 13" std std long yes 2000kg Venture Cab 5.0 CL5.0m - 13BMD 9044 13" std std long yes 1180kg Venture Cab 5.4 LWS5.3M-14B 9714 14" std std long yes 1400kg				100111111111111111111111111111111111111	- 11	2990		100	20.20	Children and Children
Wanderer 5.0 CL5.0m - 13BMD 9044 1.3" std std long yes 1180kg Wanderer 5.4 LWS5.3M-14B 9714 14" std std long yes 1400kg Wanderer 5.8 / 6.1 LWS6.2M-13TB 9721 13" std std long yes 2000kg Venture Cab 5.0 CL5.0m - 13BMD 9044 13" std std long yes 1180kg Venture Cab 5.4 LWS5.3M-14B 9714 14" std std long yes 1400kg			A STATE OF THE PARTY OF THE PAR			23717	1000	10 (1 m) (1 m)		
Wanderer 5.4 LWS5.3M-14B 9714 14" std std long yes 1400kg Wanderer 5.8 / 6.1 LWS6.2M-13TB 9721 13" std std long yes 2000kg Venture Cab 5.0 CL5.0m - 13BMD 9044 13" std std long yes 1180kg Venture Cab 5.4 LWS5.3M-14B 9714 14" std std long yes 1400kg					111	2.00		100 100 100 100 100 100 100 100 100 100	100000	
Wanderer 5.8 / 6.1 LWS6.2M-13TB 9721 13" std std long yes 2000kg Venture Cab 5.0 CL5.0m - 13BMD 9044 13" std std long yes 1180kg Venture Cab 5.4 LWS5.3M-14B 9714 14" std std long yes 1400kg					-	-				
Venture Cab 5.0 CL5.0m - 13BMD 9044 13° std std long yes 1180kg Venture Cab 5.4 LWS5.3M-148 9714 14° std std long yes 1400kg		A SELECTION OF THE PARTY OF THE			710024	77.5	1261	long	yes	Carrier States
Venture Cab 5.4 LWS5.3M-148 9714 14" std std long yes 1400kg	-	THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.		7 7 01 7	15,000	200	7.77	10000	yes	The second second
				Selection 1	15000	75.50	1112	1000000000	yes	A CONTRACTOR OF THE PARTY OF TH
Venture Cab 5.8 / 6.1 LWS6.2M-13TB 9721 13" std std long yes 2000kg			The second of th		170.7	7,777		long	yes	
		Venture Cab 5.8 / 6.1	LWS6.2M-13TB	9721	13"	std	std	long	yes	2000kg

WARRANTY

C & J Glass Holdings Pty Ltd A.C.N. 106 576 229

This document states terms of the Warranty given by the Company in respect of products manufactured by it.

Interpretation

In this document-

- 1.1 "The Company" means C & J Glass Holdings Pty Ltd A.C.N. 106 576 229.
- 1.2 "The Purchaser" means the original person or entity of any boat sold through an authorised SeaJay Boats Dealership.
- "Boat" means any aluminium boat or accessory manufactured by the Company.
- "Warranty Period" means the period of two years (24 months) from the date of delivery to the ORIGINAL purchaser.

Warranty

- 2.1 The Company warrants to the Purchaser that:-
 - 2.1.1 The quality of the materials used in the construction of the boat is in accordance with or above, the standard usual in the aluminium boat building industry; and
 - 2.1.2 The boat will remain free of defects during the warranty period.

Works under Warranty 3.

- 3.1 To obtain the benefit of the warranty the Purchaser must return the boat to its place of purchase.
- 3.2 Warranty does not cover any consequential expenses beyond the warranty repair itself. Eg. Freighting
- 3.3 SeaJay Boats shall not be liable for consequential loss of any kind arising out of the supply or operation of the Boat.

Exclusions


- 4.1 The warranty will not cover any defect or damage caused by:
 - 4.1.1 Alterations to the boat or its operation outside design limitations
 - 4.1.2 Misuse, abuse or negligence
 - 4.1.3 Normal Wear and Tear
 - 4.1.4 Use of a motor which has more power or weight than recommended on the compliance plate attached to the Boat.
 - 4.15 Improper Trailer fitup. Eg. Incorrect tie down of Boat to Trailer, the use of multi roller Trailers, no Engine support bracket and off road use.
- 4.2 Paint is not warranted against the effects of oxidization, wear and tear, electrolysis or damage caused by fuel and dissimilar metals. This also includes normal oxidization around unsealed edges and fittings.
- 4.3 Carpet, Timber Floors , Upholstery and Windscreens (including console screens) are limited to a 12 month warranty only.

Commercial Use

- 5.1 Due to the variance in usage and conditions which may be experienced, the Purchaser must be satisfied the intended Boat is suited for commercial applications.
- This Warranty does not cover any boat which has been used for a commercial purpose.

Exclusion of Further Warranties

6.1 Except as stated in this document no warranty, express or implied is given by the Company except any warranty which is implied by law.



Sea Jay Boats A.B.N. 44 975 385 413 2 Maddison Court, Bundaberg Qld 4670



GENERAL MAINTENANCE

It is important to follow a few basic rules in providing regular maintenance to your new vessel.

- · Always thoroughly wash your entire vessel with fresh water and mild detergent after use.
- A spray of a protective lanolin based product should be re-applied after washing, to all areas where dissimilar metals are fitted, eg. Any Stainless Steel fittings (Windscreen Bolts, Rod Holders, Baltboard etc.)
- If an accessory is fitted after market (not factory fitted) it is important to spray a protective lanolin based product to these areas where salt or moisture can be attracted.
- . Leave your vessel permanently tilted to drain after use.
- . Floatation material can be affected by petrol. Check periodically.



Del

www.seajayboats.com.au

Follow the dealer link to locate your local Sea Jay dealer.

DISCLAIMER

As Sea Jay continues to make improvements to our product, we do reserve the right to change any details that are contained herein.

All specifications quoted in this brochure are approximate and subject to change.

Please note that photos may show accessories or options that are not standard, please check the features for the standard options applicable.

For further information on the Sea Jay Model range please contact your authorised Dealer as Sea Jay Aluminium Boats do not sell our product direct from the factory.

YOUR AUTHORISED SEA JAY DISTRIBUTOR